

Limited Vertical Clearances 2021



INVENTORY OF STRUCTURES HAVING LIMITED VERTICAL CLEARANCE

PREPARED BY WYOMING DEPARTMENT OF TRANSPORTATION PLANNING DEPARTMENT

IN COOPERATION WITH U.S. DEPARTMENT OF TRANSPORTATION FEDERAL HIGHWAY ADMINISTRATION

NOTE:

THE CLEARANCES SHOWN ARE FOR **INFORMATION PURPOSES ONLY**. IT WILL BE THE RESPONSIBILITY OF THE OPERATOR TO CHECK LOADS AND STRUCTURE CLEARANCE BEFORE PROCEEDING THROUGH THE STRUCTURE. IF NECESSARY TO MAINTAIN ONE WAY TRAFFIC TO CLEAR STRUCTURE, OPERATOR MUST FLAG TRAFFIC.

PAVED ROADS THAT GO UNDER STATE HIGHWAYS AND ARE NOT ON THE STATE SYSTEM ARE LISTED AS CROSSROADS. THESE ROADS ARE IDENTIFIED IN THE DESCRIPTION FIELD (X-ROAD UNDERNEATH) THE HIGHWAY MILEPOST IS USED FOR THE CROSSROAD'S LOCATION.

ALL STRUCTURES ON UNDIVIDED HIGHWAYS WILL BE MEASURED FACING THE ASCENDING MILEPOST. DIVIDED HIGHWAYS SUCH AS I-25 WILL BE MEASURED IN THE DIRECTION OF THE FLOW OF TRAFFIC, I.E., THE NORTH BOUND LANE WILL BE MEASURED FACING NORTH AND THE SOUTH BOUND LANE WILL BE MEASURED FACING SOUTH.

Wyoming Department of Transportation

For Reference Only

County	Road	Marker	Lane	Underneath	Description	Ramp	Left Lane	Middle Lane	Right Lane	Min	Bypass
Albany	under I 80 / US 30	0.00	Both	✓	Blair Road Separation		14' 4"	14' 4"	14' 4"	14' 4"	
Albany	BUFORD RD CR 30 under I 80 / US 30	0.04	Both	✓	Buford Interchange		14' 3"	14' 3"	14' 3"	14' 3"	
Albany	HUNT RD CR 59 under I 80	0.06	Both	•	Quealy Dome Interchange		15' 11"	15' 11"	15' 11"	15' 11"	
Albany	CLARK WY 130 / WY 230	1.32	Both		Snowy Range Road Interchange (I-80)		17' 5"	18' 3"	17' 5"	17' 5"	
Albany	CLARK WY 130 / WY 230	1.32	Both		Snowy Range Road Interchange (I-80)		17' 5"	18' 3"	17' 5"	17' 5"	
Albany	WY 12	2.63	Both		Herrick Lane Separation		17' 11"	17' 11"	17' 11"	17' 11"	
Albany	MONUMENT RD CR 234 under I 80 / US 30	6.68	Both	~	Vedauwoo Interchange		14' 5"	14' 5"	14' 5"	14' 5"	
Albany	WY 12	8.15	Both		Herrick Lane Interchange (I-80)		18' 9"	18' 9"	18' 9"	18' 9"	
Albany	I 80	308.62	Westbound	d 🗆	Variable Message Sign Structure		20' 11"	21' 2"	21' 4"	20' 11"	
Albany	I 80	308.65	Eastbound		Variable Message Sign Structure		21' 2"	21' 3"	21' 4"	21' 2"	
Albany	I 80	308.65	Westbound	d \square	Variable Message Sign Structure		20' 11"	21' 2"	21' 4"	20' 11"	
Albany	I 80	310.20	Eastbound		Sign Structure		20' 4"	20' 11"	20' 11"	20' 4"	
Albany	I 80	310.45	Eastbound		Curtis Street Interchange		17' 1"	17' 4"	17' 7"	17' 1"	✓
Albany	I 80	310.45	Westbound	d \square	Curtis Street Interchange		17' 0"	17' 2"	17' 5"	17' 0"	
Albany	I 80	311.16	Westbound	d \square	Variable Message Sign Structure		21' 3"	21' 5"	21' 6"	21' 3"	
Albany	I 80	311.49	Eastbound		Sign Structure		20' 2"	20' 8"	21' 1"	20' 2"	
Albany	I 80	312.09	Westbound	d \square	Sign Structure		21' 6"	22' 2"	23' 2"	21' 6"	
Albany	I 80	313.90	Westbound	d \square	15th Street Separation		17' 1"	17' 6"	16' 8"	16' 8"	
Albany	I 80	313.99	Eastbound		15th Street Separation		17' 5"	17' 9"	17' 3"	17' 3"	

Wyoming Department of Transportation

For Reference Only

INVENTORY OF LIMITED VERTICAL CLEARANCES							Left	Middle	Right		
County	Road	Marker	Lane	Underneath	Description Description	Ramp	Lane	Lane	Lane	Min	Bypass
Albany	I 80	316.20	Eastbound		Moonlight Ranch Separation		17' 3"	17' 5"	16' 8"	16' 8"	
Albany	I 80	316.20	Westbound		Moonlight Ranch Separation		17' 2"	17' 4"	16' 7"	16' 7"	
Albany	I 80 / US 30	316.70	Eastbound		Grand Avenue Interchange (US-30)		20' 8"	21' 10"	21' 10"	20' 8"	
Albany	I 80 / US 30	316.70	Westbound		Grand Avenue Interchange (US-30)		20' 3"	19' 5"	17' 10"	17' 10"	~
Albany	I 80 / US 30	317.20	Eastbound		Variable Message Sign Structure		23' 5"	23' 7"	22' 5"	22' 5"	
Albany	I 80 / US 30	323.05	Eastbound		Summit Interchange (Truck Lane Only)		18' 9"	18' 9"	18' 9"	18' 9"	✓
Albany	I 80 / US 30	323.05	Eastbound		Summit Interchange (WY-210)		18' 2"	19' 11"	18' 11"	18' 2"	✓
Albany	I 80 / US 30	323.05	Westbound		Summit Interchange (WY-210)		18' 11"	19' 7"	18' 9"	18' 9"	✓
Albany	I 80 / US 30	323.84	Eastbound		Variable Speed Limit Sign		N/A	N/A	20' 5"	20' 5"	
Albany	I 80 / US 30	324.89	Eastbound		Variable Message Sign Structure		19' 9"	19' 11"	20' 1"	19' 9"	
Albany	I 80 / US 30	336.13	Westbound		Variable Message Sign Structure		20' 4"	20' 2"	19' 11"	19' 11"	· _
Albany	S 3RD ST US 287	400.93	Southbound	d \square	3rd Street Interchange (I-80)		18' 6"	18' 7"	19' 1"	18' 6"	
Albany	S 3RD ST US 287	400.93	Northbound	d \square	3rd Street Interchange (I-80)		18' 6"	18' 8"	18' 8"	18' 6"	
Big Horn	WY 114	40.57	Both		Railroad Crossing Cantilevers		17' 9"	17' 9"	17' 9"	17' 9"	
Big Horn	US 14A	55.42	Both		Railroad Crossing Cantilevers		16' 10"	16' 10"	16' 10"	16' 10"	✓
Big Horn	6TH ST US 14 / US 16 / US 20 BUS / US 310 / WY 789	204.06	Both		Sign Structure		20' 9"	20' 9"	20' 9"	20' 9"	
Big Horn	US 310 / WY 789	209.30	Both		Sign Structure		19' 7"	19' 7"	19' 7"	19' 7"	
Campbell	under I 90	0.00	Both	\checkmark	Kingsbury Road Interchange		14' 6"	14' 6"	14' 6"	14' 6"	
Campbell		0.00	Both	\checkmark	Wild Horse Creek Road Interchange		14' 5"	14' 5"	14' 5"	14' 5"	
Campbell		0.00	Both	✓	Gray Road Separation		16' 0"	16' 0"	16' 0"	16' 0"	

Wyoming Department of Transportation

For Reference Only

		Left	Middle	Right							
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Campbell	under I 90	0.00	Both	✓	Four J Road Separation		17' 3"	17' 3"	17' 3"	17' 3"	
Campbell	BARBER CREEK RD CR 19 under I 90	0.04	Both	✓	Barber Creek Interchange		14' 8"	14' 8"	14' 8"	14' 8"	
Campbell	SKYLINE DR I 90 BUS / WY 50	1.53	Southbound	d 🗆	West Gillette Interchange (I-90)		19' 7"	19' 5"	18' 0"	18' 0"	
Campbell	SKYLINE DR I 90 BUS / WY 50	1.53	Southbound	d \square	West Gillette Interchange (I-90)		19' 7"	19' 5"	18' 0"	18' 0"	
Campbell	SKYLINE DR I 90 BUS / WY 50	1.53	Northbound	d \square	West Gillette Interchange (I-90)		19' 7"	19' 5"	18' 0"	18' 0"	
Campbell		2.13	Both	✓	Force Road Interchange		14' 2"	14' 2"	14' 2"	14' 2"	
Campbell	BUTLER SPAETH RD under I 90	98.98	Both	✓	Butler Spaeth Separation		14' 8"	14' 8"	14' 8"	14' 8"	
Campbell	S DOUGLAS HWY WY 59	112.16	Southbound	d \square	WY-59 Interchange (I-90)		17' 4"	17' 8"	18' 1"	17' 4"	
Campbell	S DOUGLAS HWY WY 59	112.16	Northbound	d 🗆	WY-59 Interchange (I-90)		16' 9"	16' 8"	16' 8"	16' 8"	
Campbell	S DOUGLAS HWY US 14 / US 16 / WY 59	115.04	Northbound	i	BNRR Separation		17' 2"	17' 2"	17' 5"	17' 2"	
Campbell	S DOUGLAS HWY US 14 / US 16 / WY 59	115.04	Southbound	d 🗆	BNRR Separation		17' 3"	17' 3"	17' 8"	17' 3"	
Campbell	I 90	122.74	Westbound		Variable Message Sign Structure		20' 11"	21' 1"	21' 2"	20' 11"	
Campbell	I 90	122.74	Eastbound		Variable Message Sign Structure		20' 10"	20' 11"	21' 1"	20' 10"	
Campbell	I 90	123.94	Eastbound		Sign Structure		18' 11"	19' 2"	19' 4"	18' 11"	
Campbell		124.26	Northbound	d \square	West Gillette Interchange (I-90)		19' 7"	19' 5"	18' 0"	18' 0"	
Campbell	I 90	124.88	Eastbound		Burma Road Separation		18' 0"	17' 9"	17' 9"	17' 9"	
Campbell	I 90	124.88	Westbound		Burma Road Separation		18' 1"	18' 1"	18' 1"	18' 1"	

Wyoming Department of Transportation

For Reference Only

INVENTORY OF LIMITED VERTICAL CLEARANCE							Left	Middle	Right		
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Campbell	2ND ST I 90 BUS / US 14 / US 16 / WY 51	126.24	Eastbound		Sign Structure		18' 6"	18' 6"	18' 11"	18' 6"	✓
Campbell	2ND ST I 90 BUS / US 14 / US 16 / WY 51	126.24	Westbound		Sign Structure		24' 9"	25' 4"	25' 6"	24' 9"	✓
Campbell	2ND ST I 90 BUS / US 14 / US 16 / WY 51	126.47	Westbound		Gurley Avenue Viaduct		21' 4"	22' 1"	23' 0"	21' 4"	
Campbell	2ND ST I 90 BUS / US 14 / US 16 / WY 51	126.47	Eastbound		Gurley Avenue Viaduct		21' 4"	20' 10"	20' 4"	20' 4"	
Campbell	2ND ST I 90 BUS / US 14 / US 16 / WY 51	127.57	Westbound		East Gillette Interchange (I-90)		28' 3"	28' 6"	28' 10"	28' 3"	
Campbell	2ND ST I 90 BUS / US 14 / US 16 / WY 51	127.57	Eastbound		East Gillette Interchange (I-90)		28' 3"	28' 3"	28' 5"	28' 3"	
Campbell	I 90	128.01	Westbound		Sign Structure		19' 4"	19' 5"	19' 6"	19' 4"	
Campbell	I 90	128.01	Eastbound		Sign Structure		21' 10"	21' 11"	22' 5"	21' 10"	
Campbell	I 90 / US 14 / US 16	129.10	Westbound		Garner Lake Road Interchange		18' 10"	18' 11"	19' 6"	18' 10"	✓
Campbell	I 90 / US 14 / US 16	129.10	Eastbound		Garner Lake Road Interchange		18' 1"	18' 2"	18' 3"	18' 1"	✓
Campbell	I 90 / US 14 / US 16	130.33	Westbound		Variable Message Sign Structure		21' 1"	21' 5"	21' 8"	21' 1"	
Campbell	I 90 / US 14 / US 16	130.33	Eastbound		Variable Message Sign Structure		20' 10"	21' 0"	21' 2"	20' 10"	
Campbell	I 90 / US 14 / US 16	132.99	Westbound		Wyodak Road Interchange		17' 3"	16' 8"	16' 2"	16' 2"	✓
Campbell	I 90 / US 14 / US 16	132.99	Eastbound		Wyodak Road Interchange		18' 7"	18' 2"	17' 9"	17' 9"	✓

Wyoming Department of Transportation

For Reference Only

INVENTORY OF LIMITED VERTICAL CLEARANG							Left	Middle	Right		
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Campbell	I 90 / US 14 / US 16	139.30	Eastbound		County Road Separation		16' 8"	16' 8"	16' 7"	16' 7"	
Campbell	I 90 / US 14 / US 16	139.30	Westbound		County Road Separation		16' 7"	16' 10"	17' 0"	16' 7"	
Campbell	I 90 / US 14 / US 16	141.24	Westbound		Rozet Interchange		16' 6"	16' 10"	17' 1"	16' 6"	✓
Campbell	I 90 / US 14 / US 16	141.24	Eastbound		Rozet Interchange		16' 2"	16' 5"	16' 6"	16' 2"	✓
Carbon	under I 80	0.00	Both	✓	East Elk Mountain Interchange		17' 0"	17' 0"	17' 0"	17' 0"	
Carbon	under I 80	0.00	Both	V	Wagonhound Interchange		17' 6"	17' 6"	17' 6"	17' 6"	
Carbon	under I 80 / US 30 / WY 789	0.00	Both	✓	Daley Interchange		13' 7"	13' 7"	13' 7"	13' 7"	
Carbon	under I 80 / US 30 / US 287	0.00	Both	✓	West Sinclair Interchange		19' 9"	19' 9"	19' 9"	19' 9"	
Carbon	HAYES ST WY 130	0.00	Both		Saratoga Interchange (I-80)		16' 4"	16' 4"	16' 4"	16' 4"	
Carbon	under I 80	0.00	Both	✓	Cooper Cove Interchange		17' 2"	17' 2"	17' 2"	17' 2"	
Carbon	under I 80 / US 30 / WY 789	0.00	Both	✓	Two Mile Draw Separation		15' 4"	15' 4"	15' 4"	15' 4"	
Carbon	under I 80 / US 30 / WY 789	0.00	Both	✓	Johnson Interchange		16' 8"	16' 8"	16' 8"	16' 8"	
Carbon	under I 80	0.00	Both	\checkmark	Peterson Interchange		13' 11"	13' 11"	13' 11"	13' 11"	
Carbon	under I 80 / US 30 / WY 789	0.00	Both	✓	Knobs Interchange		14' 1"	14' 1"	14' 1"	14' 1"	
Carbon	under I 80 / US 30 / WY 789	0.00	Both	\checkmark	Hadsell Interchange		13' 10"	13' 10"	13' 10"	13' 10"	
Carbon	under I 80 / US 30 / US 287	0.00	Both	✓	Ft Steele Interchange		14' 1"	14' 1"	14' 1"	14' 1"	
Carbon		0.19	Northbound	d \square	Sign Structure		23' 6"	19' 6"	19' 4"	19' 4"	

Wyoming Department of Transportation

For Reference Only

INVENTORY OF LIMITED VERTICAL CLEAR							Left	Middle	Right		
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Carbon		0.19	Southbound	d 🗆	Sign Structure		23' 6"	23' 7"	23' 7"	23' 6"	
Carbon	I 80 SVRD	0.69	Eastbound		North Platte River Bridge		15' 0"	15' 0"	15' 0"	15' 0"	
Carbon	WY 71	1.06	Both		Sage Creek Road Separation		15' 7"	16' 6"	15' 7"	15' 7"	
Carbon	3RD ST US 287 / WY 789	1.92	Both		Sign Structure		19' 0"	19' 0"	19' 0"	19' 0"	
Carbon	WY 13	17.33	Both		Arlington Interchange (I-80)		16' 4"	16' 4"	16' 4"	16' 4"	
Carbon	I 80 / US 30 / WY 789	206.90	Westbound		Variable Message Sign Structure		20' 7"	20' 9"	20' 11"	20' 7"	
Carbon	I 80 / US 30 / WY 789	206.90	Eastbound		Variable Message Sign Structure		19' 11"	20' 0"	20' 3"	19' 11"	
Carbon	I 80 / US 30 / WY 789	211.42	Eastbound		Sign Structure		20' 8"	20' 11"	21' 5"	20' 8"	
Carbon	I 80 / US 30 / WY 789	211.78	Westbound		Spruce Street Interchange		17' 2"	17' 7"	17' 11"	17' 2"	✓
Carbon	I 80 / US 30 / WY 789	211.78	Eastbound		Spruce Street Interchange		17' 0"	17' 4"	17' 5"	17' 0"	✓
Carbon	3RD ST / CEDAR ST I 80 BUS / US 30 BUS / US 287 BUS	213.42	Eastbound		Sign Structure		19' 1"	19' 1"	18' 9"	18' 9"	
Carbon	3RD ST / CEDAR ST I 80 BUS / US 30 BUS / US 287 BUS	213.42	Westbound		Sign Structure		22' 5"	22' 5"	22' 7"	22' 5"	
Carbon	I 80 / US 30	214.11	Westbound		Higley Interchange		18' 8"	19' 0"	18' 2"	18' 2"	✓
Carbon	I 80 / US 30	214.11	Eastbound		Higley Interchange		18' 8"	18' 9"	17' 7"	17' 7"	✓
Carbon	CEDAR ST I 80 BUS / US 30 BUS / US 287 BUS	215.23	Eastbound		Sign Structure		19' 8"	20' 10"	21' 2"	19' 8"	

Wyoming Department of Transportation

For Reference Only

INVENTORY OF LIMITED VERTICAL CLEARANC							Left	Middle	Right		
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Carbon	WY 76	215.65	Eastbound		East Rawlins Interchange (I-80)		17' 4"	17' 4"	17' 11"	17' 4"	
Carbon	WY 76	215.65	Westbound		East Rawlins Interchange (I-80)		17' 1"	17' 1"	17' 1"	17' 1"	
Carbon	CEDAR ST I 80 BUS / US 30 BUS / US 287 BUS	215.65	Eastbound		East Rawlins Interchange (I-80)		17' 4"	17' 4"	17' 11"	17' 4"	
Carbon	CEDAR ST I 80 BUS / US 30 BUS / US 287 BUS	215.65	Westbound		East Rawlins Interchange (I-80)		17' 1"	17' 1"	17' 1"	17' 1"	
Carbon	I 80 / US 30 / US 287	217.50	Eastbound		Variable Message Sign Structure		20' 3"	20' 5"	20' 8"	20' 3"	
Carbon	I 80 / US 30 / US 287	217.50	Westbound		Variable Message Sign Structure		20' 6"	20' 8"	20' 11"	20' 6"	
Carbon	WY 76	219.82	Both		UPRR Separation		17' 9"	17' 9"	17' 9"	17' 9"	
Carbon		220.92	Both		Railroad Crossing Cantilevers		16' 9"	16' 9"	16' 9"	16' 9"	✓
Carbon	WY 76	221.68	Both		Railroad Crossing Cantilevers		17' 10"	17' 10"	17' 10"	17' 10"	· 🗌
Carbon	I 80 / US 30 / US 287	221.93	Eastbound		East Sinclair Interchange		17' 1"	17' 5"	17' 7"	17' 1"	✓
Carbon	I 80 / US 30 / US 287	221.93	Westbound		East Sinclair Interchange		17' 2"	17' 4"	17' 7"	17' 2"	✓
Carbon	I 80 / US 30 / US 287	234.58	Eastbound		Variable Message Sign Structure		22' 2"	22' 3"	22' 5"	22' 2"	
Carbon	US 30 / US 287	235.23	Both		Saratoga Interchange (I-80)		16' 4"	16' 4"	16' 4"	16' 4"	
Carbon	I 80	245.00	Eastbound		Variable Message Sign Structure		21' 2"	21' 7"	21' 0"	21' 0"	
Carbon	I 80	255.60	Westbound		West Elk Mountain Interchange (WY-72)		17' 4"	17' 11"	18' 4"	17' 4"	✓
Carbon	I 80	255.60	Eastbound		West Elk Mountain Interchange (WY-72)		17' 8"	17' 8"	17' 7"	17' 7"	✓
Carbon	I 80	257.00	Westbound		Variable Message Sign Structure		20' 11"	21' 2"	21' 2"	20' 11"	
Carbon	I 80	266.00	Eastbound		Variable Message Sign Structure		21' 1"	21' 4"	21' 6"	21' 1"	

Wyoming Department of Transportation

For Reference Only

			INVEN	TORY OF I		Left	Middle	Right			
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Carbon	I 80	273.90	Westbound		Variable Message Sign Structure		21' 1"	21' 4"	21' 7"	21' 1"	
Converse	under I 25 / US 20 / US 26 / US 87	0.00	Both	✓	Inez Interchange		14' 8"	14' 8"	14' 8"	14' 8"	
Converse	under I 25 / US 20 / US 26 / US 87	0.00	Both	✓	Bixby Interchange		14' 10"	14' 10"	14' 10"	14' 10"	
Converse	under I 25 / US 20 / US 26 / US 87	0.00	Both		County Road Separation		13' 10"	13' 10"	13' 10"	13' 10"	
Converse	under I 25 / US 20 / US 26 / US 87	0.00	Both	✓	Barber Interchange		13' 8"	13' 8"	13' 8"	13' 8"	
Converse	S FOURTH ST WY 95	0.00	Both		Deer Creek Interchange (I-25)		16' 9"	16' 10"	17' 3"	16' 9"	
Converse	NATURAL BRIDGE RD CR 13 under I 25 / US 20 / US 26 / US 87	0.03	Both	✓	Natural Bridge Interchange		14' 3"	14' 3"	14' 3"	14' 3"	
Converse	IRVINE RD CR 1 under I 25 / US 20 / US 26 / US 87	0.20	Both	✓	County Road Separation		23' 10"	23' 10"	23' 10"	23' 10"	
Converse	ESTERBROOK RD WY 94	0.46	Both		Esterbrook Road Separation		16' 8"	16' 6"	16' 8"	16' 6"	
Converse	WY 90	0.86	Both		Boxelder Road Separation		16' 4"	16' 4"	16' 4"	16' 4"	
Converse	US 18 / US 20	1.62	Both		BNRR Separation		18' 8"	18' 6"	18' 8"	18' 6"	
Converse	MORMON CANYON RD CR 18 under I 25	1.84	Both	✓	Morman Canyon Road Separation		16' 10"	16' 10"	16' 10"	16' 10"	
Converse	WY 96	3.11	Both		Laprelle Interchange (I-25)		16' 9"	16' 9"	16' 9"	16' 9"	
Converse	WY 59	17.61	Both		BNRR Separation		16' 9"	17' 6"	16' 10"	16' 9"	

Wyoming Department of Transportation

For Reference Only

INVENTORY OF LIMITED VERTICAL CLEARANCE							Left	Middle	Right		
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Converse	GOLF COURSE RD under I 25 / US 20 / US 26 / US 87	100.60	Both	✓	Golf Course Road Separation		14' 9"	14' 9"	14' 9"	14' 9"	
Converse	I 25 / US 20 / US 26 / US 87	126.47	Northbound	d 🗆	Orin Junction Interchange (US-16/20)		19' 4"	19' 10"	20' 3"	19' 4"	✓
Converse	I 25 / US 20 / US 26 / US 87	126.47	Southbound	d \square	Orin Junction Interchange (US-16/20)		18' 3"	17' 7"	17' 1"	17' 1"	✓
Converse	I 25 / US 20 / US 26 / US 87	127.09	Southbound	d \square	Variable Message Sign Structure		21' 1"	21' 1"	21' 2"	21' 1"	
Converse	I 25 / US 20 / US 26 / US 87	133.70	Northbound		Variable Message Sign Structure		20' 7"	20' 10"	21' 1"	20' 7"	
Converse	I 25 / US 20 / US 26 / US 87	133.70	Southbound	d \square	Variable Message Sign Structure		20' 4"	20' 6"	20' 7"	20' 4"	
Converse	I 25 / US 20 / US 26 / US 87	135.29	Northbound	d \square	Sign Structure		20' 0"	20' 2"	20' 2"	20' 0"	
Converse	I 25 BUS	135.47	Both		East Douglas Interchange (I-25)		16' 11"	18' 5"	16' 11"	16' 11"	
Converse	I 25 / US 20 / US 26 / US 87	140.10	Northbound		West Douglas Interchange		17' 7"	17' 1"	16' 8"	16' 8"	✓
Converse	I 25 / US 20 / US 26 / US 87	140.10	Southbound	d \square	West Douglas Interchange		18' 2"	18' 8"	19' 4"	18' 2"	✓
Converse	I 25 / US 20 / US 26 / US 87	140.56	Southbound	d \square	Sign Structure		21' 5"	20' 10"	20' 8"	20' 8"	
Converse	I 25 / US 20 / US 26 / US 87	141.71	Northbound		Variable Message Sign Structure		20' 6"	20' 8"	20' 11"	20' 6"	
Converse	I 25 / US 20 / US 26 / US 87	141.71	Southbound	d \square	Variable Message Sign Structure		20' 5"	20' 7"	20' 10"	20' 5"	
Converse	US 20 / US 26 / US 87	160.87	Both		East Glenrock Interchange (I-25)		16' 0"	16' 0"	16' 0"	16' 0"	
Converse	I 25	174.66	Northbound	d 🗆	County Road Separation		19' 3"	19' 4"	19' 5"	19' 3"	
Converse	I 25	174.66	Southbound	d \square	County Road Separation		18' 3"	18' 2"	18' 5"	18' 2"	

Wyoming Department of Transportation

For Reference Only

		Left	Middle	Right							
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Crook	under I 90	0.00	Both	~	Beaver Creek Road Interchange		14' 0"	14' 0"	14' 0"	14' 0"	
Crook	under I 90	0.00	Both	~	Inyan Kara Interchange		13' 8"	13' 8"	13' 8"	13' 8"	
Crook	under I 90 / US 14 / US 16	0.00	Both	✓	Kaehne Ranch Rd		16' 8"	16' 8"	16' 8"	16' 8"	
Crook	MOSKEE RD CR 207 under I 90 / US 14	0.00	Both	✓	Moskee Interchange		16' 3"	16' 3"	16' 3"	16' 3"	
Crook	BERTHA RD CR 12 under I 90 / US 14 / US 16	0.05	Both	✓	D Road Separation		16' 0"	16' 0"	16' 0"	16' 0"	
Crook	I 90 BUS	0.25	Both		East Moorcroft Interchange (I-90)		15' 9"	15' 9"	15' 9"	15' 9"	
Crook	WY 111	8.63	Both		Aladdin Interchange (I-90)		16' 10"	16' 10"	16' 10"	16' 10"	
Crook	S 6TH ST WY 585	27.43	Both		WY-585 Interchange (I-90)		17' 4"	17' 4"	17' 4"	17' 4"	
Crook	I 90 BUS / US 14 / US 16	153.41	Both		West Moorcroft Interchange (I-90)		16' 3"	16' 3"	16' 3"	16' 3"	
Crook	YELLOWSTONE AVE US 14	154.97	Both		US-14 Separation (I-90 Moorcroft)		16' 5"	16' 5"	16' 5"	16' 5"	
Crook	I 90	165.68	Eastbound		Pine Ridge Interchange		16' 4"	16' 4"	16' 6"	16' 4"	✓
Crook	I 90	165.68	Westbound	ı 🗆	Pine Ridge Interchange		16' 8"	16' 9"	17' 0"	16' 8"	✓
Crook	I 90	171.26	Westbound	ı 🗆	County Road Separation		16' 8"	16' 11"	16' 11"	16' 8"	
Crook	I 90	171.26	Eastbound		County Road Separation		16' 8"	16' 10"	17' 2"	16' 8"	
Crook	I 90	183.24	Westbound	i \Box	Variable Message Sign Structure		20' 8"	20' 10"	20' 11"	20' 8"	
Crook	I 90	183.24	Eastbound		Variable Message Sign Structure		20' 10"	21' 0"	21' 1"	20' 10"	· 🗆
Crook	I 90	188.11	Eastbound		AVI Reader		23' 4"	21' 9"	22' 6"	21' 9"	
Crook	I 90	188.31	Eastbound		AVI Reader		21' 10"	21' 9"	21' 9"	21' 9"	
Crook	I 90	188.80	Eastbound		AVI Reader		20' 5"	20' 5"	21' 10"	20' 5"	

Wyoming Department of Transportation

For Reference Only

INVENTORY OF LIMITED VERTICAL CLEARANCE							Left	Middle	Right		
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Crook	I 90 / US 14	189.00	Westbound	i 🗆	AVI Reader		20' 7"	20' 4"	20' 6"	20' 4"	
Crook	I 90 / US 14	189.80	Westbound	i 🗆	AVI Reader		21' 11"	21' 11"	21' 10"	21' 10"	
Crook	I 90 / US 14	189.99	Westbound	i 🗆	AVI Reader		22' 0"	21' 10"	20' 9"	20' 9"	
Crook	I 90 / US 14	190.44	Eastbound		Variable Message Sign Structure		20' 10"	21' 1"	21' 3"	20' 10"	
Crook	I 90 / US 14	190.44	Westbound	i 🗆	Variable Message Sign Structure		20' 11"	21' 3"	21' 6"	20' 11"	
Crook	I 90 BUS / US 14	200.54	Both		West Sundance Interchange (I-90)		17' 2"	17' 2"	17' 2"	17' 2"	
Crook	I 90 BUS / US 14	200.54	Both		West Sundance Interchange (I-90)		17' 2"	17' 2"	17' 2"	17' 2"	
Crook		201.35	Both		US-14 Separation (I-90 Sundance)		16' 2"	16' 2"	16' 2"	16' 2"	
Crook	SOUTHWEST ST I 90 BUS / US 14	201.48	Both		US-14 Separation (I-90 Sundance)		16' 2"	16' 2"	16' 2"	16' 2"	
Crook	I 90 BUS / US 14	203.96	Both		East Sundance Interchange (I-90)		16' 11"	16' 11"	16' 11"	16' 11"	
Crook	I 90 BUS / US 14	203.96	Both		East Sundance Interchange (I-90)		16' 11"	16' 11"	16' 11"	16' 11"	
Crook	I 90 / US 14	205.90	Eastbound		Beulah Interchange		16' 9"	16' 10"	17' 5"	16' 9"	✓
Crook	I 90 / US 14	205.90	Westbound	ı 🗆	Beulah Interchange		16' 4"	16' 5"	16' 8"	16' 4"	✓
Fremont	E MAIN ST US 287 / WY 789	81.04	Northbound	d \square	Sign Structure		19' 5"	25' 2"	24' 11"	19' 5"	
Fremont	E MAIN ST US 287 / WY 789	81.04	Southboun	d \square	Sign Structure		19' 8"	19' 8"	19' 8"	19' 8"	
Fremont	E 2ND ST US 20 BUS / US 26 BUS	99.40	Both		Railroad Crossing Cantilevers		22' 7"	22' 7"	22' 7"	22' 7"	
Fremont	S FEDERAL BLVD WY 789	105.16	Northbound	d \square	Sign Structure		25' 10"	25' 10"	25' 10"	25' 10"	
Fremont	S FEDERAL BLVD WY 789	105.16	Southboun	d \square	Sign Structure		20' 4"	20' 4"	20' 4"	20' 4"	
Fremont	US 20 BUS / WY 789	116.17	Both		Tunnel		12' 8"	13' 5"	12' 8"	12' 8"	

Wyoming Department of Transportation

For Reference Only

INVENTORY OF LIMITED VERTICAL CLEARANCE							Left	Middle	Right		
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Fremont	US 20 BUS / WY 789	116.29	Both		Tunnel		13' 6"	13' 7"	13' 6"	13' 6"	
Fremont	US 20 BUS / WY 789	116.39	Both		Tunnel		13' 10"	13' 10"	13' 10"	13' 10"	
Fremont		127.30	Both		Sign Structure		21' 11"	21' 10"	21' 11"	21' 10"	· _
Goshen	E VALLEY RD US 26	48.64	Both		Sign Structure		19' 8"	20' 3"	19' 8"	19' 8"	
Goshen	E VALLEY RD US 26	48.72	Westbound		Sign Structure		N/A	N/A	19' 5"	19' 5"	
Goshen	E VALLEY RD US 26	48.75	Both		Overpass		25' 9"	25' 9"	25' 9"	25' 9"	
Goshen	US 85	72.51	Northbound	d \square	Railroad Crossing Cantilevers		N/A	17' 4"	17' 4"	17' 4"	✓
Goshen	US 85	72.51	Southbound	d \square	Railroad Crossing Cantilevers		N/A	17' 8"	17' 10"	17' 8"	✓
Goshen	US 85	82.23	Both		Railroad Crossing Cantilevers		17' 11"	17' 11"	17' 11"	17' 11"	
Goshen	MAIN ST US 85	92.60	Northbound	i 🗆	Sign Structure		N/A	19' 7"	20' 0"	19' 7"	
Goshen	MAIN ST US 85	93.15	Southbound	d \square	Railroad Crossing Cantilevers		18' 6"	18' 6"	18' 6"	18' 6"	
Goshen	MAIN ST US 85	93.15	Northbound	i 🗆	Railroad Crossing Cantilevers		18' 5"	18' 5"	18' 5"	18' 5"	
Goshen	W VALLEY RD US 26 / US 85	93.21	Eastbound		Sign Structure		23' 4"	23' 4"	23' 4"	23' 4"	
Goshen	W VALLEY RD US 26 / US 85	93.21	Westbound		Sign Structure		18' 9"	17' 8"	17' 8"	17' 8"	
Hot Springs	6TH ST US 20 BUS / WY 789	132.53	Southbound	d 🗆	Sign Structure		24' 0"	24' 3"	24' 3"	24' 0"	
Hot Springs	6TH ST US 20 BUS / WY 789	132.53	Northbound		Sign Structure		19' 6"	19' 6"	20' 7"	19' 6"	
Johnson	under I 90	0.00	Both	✓	Dead Horse Interchange		14' 7"	14' 7"	14' 7"	14' 7"	
Johnson	under I 25 / US 87	0.00	Both	V	Powder River Rd Interchange		14' 0"	14' 0"	14' 0"	14' 0"	

Wyoming Department of Transportation

For Reference Only

County	Road	Marker	Lane	Underneath	Description	Ramp	Left Lane	Middle Lane	Right Lane	Min	Bypass
Johnson	under I 90	0.00	Both	V	Crazy Woman Interchange		14' 9"	14' 9"	14' 9"	14' 9"	
Johnson	under I 90	0.00	Both	✓	Red Hills Interchange		14' 5"	14' 5"	14' 5"	14' 5"	
Johnson	under I 25 / US 87	0.00	Both	✓	County Road Separation		13' 2"	13' 2"	13' 2"	13' 2"	
Johnson	under I 90	0.00	Both	\checkmark	Upper Powder River Rd Interchange		14' 8"	14' 8"	14' 8"	14' 8"	
Johnson	MONUMENT RD CR 213 under I 90 / US 87	0.00	Both	~	Lake De Smet Interchange		14' 6"	14' 6"	14' 6"	14' 6"	
Johnson	WY 191	0.28	Both		Kaycee-Mayoworth Interchange (I-25)		18' 1"	17' 10"	18' 1"	17' 10"	
Johnson	RENO RD CR 208 under I 25 / US 87	0.56	Both	~	Reno Road Interchange		16' 1"	16' 1"	16' 1"	16' 1"	
Johnson	ROCK CREEK RD CR 1 under I 90 / US 87	2.69	Both	✓	Rock Creek Road Interchange		16' 6"	16' 6"	16' 6"	16' 6"	
Johnson	TW RD CR 204 under I 90	2.71	Both	✓	County Road Separation		16' 6"	16' 6"	16' 6"	16' 6"	
Johnson	MIDDLE FORK RD CR 265 under I 25 / US 87	3.92	Both	V	Middle Fork Road Interchange		14' 8"	14' 8"	14' 8"	14' 8"	
Johnson	SHELL CREEK RD CR 85 under I 90 / US 87	4.60	Both	V	Shell Creek Interchange		19' 10"	19' 10"	19' 10"	19' 10"	
Johnson	under I 25 / US 87	8.37	Both	✓	Tisdale Mountain Road Interchange		16' 2"	16' 2"	16' 2"	16' 2"	
Johnson	I 90 / US 87	54.32	Eastbound		Variable Message Sign Structure		20' 11"	21' 1"	20' 5"	20' 5"	
Johnson	I 90 / US 87	54.32	Westboun	d \square	Variable Message Sign Structure		21' 0"	21' 1"	21' 5"	21' 0"	
Johnson	I 90 / US 87	56.10	Eastbound		Sign Structure		19' 7"	19' 9"	19' 11"	19' 7"	
Johnson	I 90 / US 87	56.55	Eastbound		Sign Structure		19' 4"	19' 8"	20' 0"	19' 4"	

Wyoming Department of Transportation

For Reference Only

		Left	Middle	Right							
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Johnson	Ramp on I 90 / US 87 MP 0	56.84	Westbound	d \square	Buffalo Tri-Level To I-25 South	✓	18' 10"	18' 1"	17' 9"	17' 9"	
Johnson	I 90	57.11	Westbound	d 🗆	Sign Structure		19' 6"	19' 9"	20' 3"	19' 6"	
Johnson	I 90	58.91	Westbound	d 🗆	Sign Structure		19' 9"	19' 0"	18' 7"	18' 7"	
Johnson	I 90	59.90	Eastbound		Variable Message Sign Structure		20' 10"	21' 0"	21' 1"	20' 10"	
Johnson	I 90	59.90	Westbound	d 🗆	Variable Message Sign Structure		20' 10"	21' 0"	21' 2"	20' 10"	
Johnson	WY 193	98.29	Both		Piney Creek Interchange (I-90)		14' 3"	14' 3"	14' 3"	14' 3"	
Johnson	I 90 BUS / US 16	100.61	Both		Buffalo Ucross Interchange (I-90 & US-16)		17' 0"	16' 11"	17' 0"	16' 11"	
Johnson	I 90 BUS / US 16	102.12	Both		US-16 Interchange (I-90)		16' 6"	16' 4"	16' 6"	16' 4"	
Johnson	I 90 BUS / US 16	102.12	Both		US-16 Interchange (I-90)		16' 6"	16' 4"	16' 6"	16' 4"	
Johnson	WY 196	249.58	Both		TTT Interchange (I-25)		14' 3"	14' 3"	14' 3"	14' 3"	
Johnson	I 25 / US 87	253.67	Northboun	d 🗆	County Road Separation		17' 4"	17' 5"	17' 7"	17' 4"	
Johnson	I 25 / US 87	253.67	Southbour	nd 🗆	County Road Separation		18' 6"	17' 11"	17' 5"	17' 5"	
Johnson	I 25 / US 87	256.94	Southbour	nd 🗆	Oil Field Road Separation		16' 3"	16' 3"	16' 3"	16' 3"	
Johnson	I 25 / US 87	256.94	Northboun	d 🗆	Oil Field Road Separation		16' 9"	17' 2"	17' 6"	16' 9"	
Johnson	WY 196	261.43	Both		US-87 Separation		15' 11"	15' 11"	15' 11"	15' 11"	
Johnson	I 25 / US 87	291.08	Southbour	nd 🗆	Trabing Road Interchange		16' 11"	16' 11"	17' 1"	16' 11"	✓
Johnson	I 25 / US 87	291.08	Northboun	d 🗆	Trabing Road Interchange		15' 10"	15' 11"	16' 0"	15' 10"	✓
Johnson	I 25 / US 87	296.49	Southbour	nd \square	Variable Message Sign Structure		20' 8"	20' 11"	21' 1"	20' 8"	
Johnson	I 25 / US 87	296.49	Northboun	d 🗆	Variable Message Sign Structure		20' 9"	21' 0"	21' 2"	20' 9"	
Johnson	I 25 BUS / US 87 BUS	298.02	Both		South Buffalo Interchange (I-25)		16' 5"	16' 6"	16' 5"	16' 5"	
Johnson	WY 196	298.30	Both		Steel Flume		17' 7"	17' 7"	17' 7"	17' 7"	
Johnson	WY 196	298.82	Both		Steel Flume		17' 0"	17' 0"	17' 0"	17' 0"	

Wyoming Department of Transportation

For Reference Only

			Left	Middle	Right						
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Johnson	I 25 / US 87	299.08	Northboun	d \square	Sign Structure		17' 11"	17' 9"	17' 8"	17' 8"	
Johnson	S MAIN ST I 25 BUS / US 87 BUS	299.27	Both		Sign Structure		17' 10"	17' 10"	17' 10"	17' 10"	
Johnson	I 25 / US 87	300.12	Northboun	d \square	Sign Structure		20' 6"	21' 0"	21' 4"	20' 6"	
Johnson	US 87	300.54	Northboun	d \square	Buffalo Tri-Level Interchange To I-90 West		17' 9"	17' 4"	17' 0"	17' 0"	
Johnson	I 90 BUS / US 87 BUS	301.34	Both		North Buffalo Interchange (I-90)		18' 2"	15' 7"	14' 6"	14' 6"	✓
Laramie	under I 80 / US 30	0.00	Both	✓	Egbert Interchange		14' 0"	14' 0"	14' 0"	14' 0"	✓
Laramie	under I 25 / US 87	0.00	Both	✓	Indian Hills Interchange		15' 3"	15' 3"	15' 3"	15' 3"	
Laramie	under I 25 / US 87	0.00	Both	✓	County Road Separation		15' 1"	15' 1"	15' 1"	15' 1"	
Laramie	under I 80 / US 30	0.00	Both	✓	Service Road Separation		14' 5"	14' 5"	14' 5"	14' 5"	
Laramie		0.00	Both	~	Warren Interchange		16' 3"	16' 3"	16' 3"	16' 3"	✓
Laramie	under WY 215	0.00	Both	~	Service Road Separation		32' 5"	32' 10"	33' 3"	32' 5"	
Laramie	TERRY RANCH DR WY 223	0.00	Both		Terry Ranch Road Interchange (I-25)		17' 1"	17' 1"	17' 1"	17' 1"	
Laramie	under I 80 / US 30	0.00	Both	✓	Harriman Interchange (I-80)		16' 1"	16' 1"	16' 1"	16' 1"	
Laramie	under I 80 / US 30	0.00	Both	✓	Hillsdale Interchange (I-80)		16' 2"	16' 2"	16' 2"	16' 2"	
Laramie		0.00	Both	\checkmark	Remount Interchange		15' 5"	15' 5"	15' 5"	15' 5"	
Laramie	under I 25 / US 87	0.00	Both	✓	County Road Separation		15' 7"	15' 7"	15' 7"	15' 7"	
Laramie	under I 80 / US 30	0.00	Both	✓	County Road Separation		14' 11"	14' 11"	14' 11"	14' 11"	

Wyoming Department of Transportation

For Reference Only

		Left	Middle	Right							
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Laramie	WY 213	0.01	Both		Carpenter - Burns Interchange (I-80)		16' 3"	16' 3"	16' 3"	16' 3"	
Laramie	WY 214	0.01	Both		Carpenter - Burns Interchange (I-80)		16' 3"	16' 3"	16' 3"	16' 3"	
Laramie	under I 25 / US 87	0.05	Eastbound	✓	Randall Avenue Interchange		17' 4"	17' 5"	17' 3"	17' 3"	
Laramie	under I 25 / US 87	0.05	Westbound	V	Randall Avenue Interchange		17' 5"	17' 6"	17' 0"	17' 0"	
Laramie	COLLEGE DR I 25 BUS / WY 212	0.66	Both		Railroad Crossing Cantilevers		19' 3"	19' 3"	19' 3"	19' 3"	
Laramie	ROUNDTOP RD WY 222	0.78	Both		Roundtop Road Interchange (I-80)		16' 2"	16' 2"	16' 2"	16' 2"	
Laramie	WALTERSCHEID BLVD under I 80	1.08	Both	\checkmark	Walterscheid Blvd Separation		14' 5"	14' 5"	14' 5"	14' 5"	
Laramie	SOUTHWEST DR CR 123-1 under I 80	1.15	Both	✓	Southwest Drive Separation		14' 9"	14' 9"	14' 9"	14' 9"	
Laramie	I 25 / US 87	1.25	Northbound	d \square	Variable Message Sign Structure		20' 3"	20' 6"	20' 10"	20' 3"	
Laramie	CAMPSTOOL RD CR 209-3 under COLLEGE DR WY 212	1.46	Both	✓	Campstool Road Separation		27' 8"	27' 8"	27' 8"	27' 8"	
Laramie	I 25 / US 87	4.85	Northbound	d \square	High Plains Road Interchange		20' 1"	19' 8"	19' 1"	19' 1"	~
Laramie	I 25 / US 87	4.85	Southboun	d \square	High Plains Road Interchange		19' 11"	19' 7"	19' 1"	19' 1"	✓
Laramie	CAMPSTOOL RD CR 209-3 under I 80	5.02	Both	>	Campstool Interchange		16' 6"	16' 6"	16' 6"	16' 6"	
Laramie	I 25 / US 87	5.75	Southboun	d \square	Variable Message Sign Structure		20' 3"	20' 6"	20' 8"	20' 3"	
Laramie	I 25 / US 87	5.84	Northbound	d \square	AVI Reader		N/A	23' 8"	23' 8"	23' 8"	
Laramie	Ramp on I 25 / US 87 MP 0	7.62	Northbound	d \square	Sign Structure (off-ramp)	✓	N/A	17' 10"	17' 10"	17' 10"	✓

Wyoming Department of Transportation

For Reference Only

INVENTORY OF LIMITED VERTICAL CLEARANCES											
County	Road	Marker	Lane	Underneath	Description Description	Ramp	Left Lane	Middle Lane	Lane	Min	Bypass
Laramie	I 25 / US 87	7.85	Southboun	d \square	College Drive Interchange (WY-212)		17' 8"	17' 7"	17' 3"	17' 3"	✓
Laramie	I 25 / US 87	7.85	Northbound	d 🗆	College Drive Interchange (WY-212)		17' 4"	17' 1"	16' 8"	16' 8"	✓
Laramie	I 25 / US 87	8.20	Southboun	d \square	Sign Structure		19' 1"	19' 7"	19' 9"	19' 1"	
Laramie	I 25 / US 87	8.49	Northbound	d \square	Sign Structure		18' 5"	18' 8"	19' 0"	18' 5"	
Laramie	S GREELEY HWY I 25 BUS / US 85	8.50	Northbound	d 🗆	US-85 Interchange (I-80)		17' 0"	17' 0"	16' 11"	16' 11"	✓
Laramie	S GREELEY HWY I 25 BUS / US 85	8.50	Northbound	d 🗆	US-85 Interchange (I-80)		17' 0"	17' 0"	16' 11"	16' 11"	✓
Laramie	S GREELEY HWY I 25 BUS / US 85 BUS	8.50	Southboun	d 🗆	US-85 Interchange (I-80)		17' 1"	17' 7"	18' 3"	17' 1"	✓
Laramie	S GREELEY HWY I 25 BUS / US 85 BUS	8.50	Southboun	d 🗆	US-85 Interchange (I-80)		17' 1"	17' 8"	18' 2"	17' 1"	✓
Laramie	I 25 / US 87	8.80	Southboun	d \square	Sign Structure		18' 0"	18' 2"	19' 5"	18' 0"	✓
Laramie	I 25 / US 87	8.84	Northbound	d 🗆	Sign Structure		17' 11"	18' 3"	18' 5"	17' 11"	
Laramie	S GREELEY HWY I 25 BUS / I 180 BUS / US 85 / US 87 BUS	8.98	Northbound	d 🗆	Pedestrian Skywalk		18' 8"	18' 8"	18' 6"	18' 6"	✓
Laramie	S GREELEY HWY I 25 BUS / I 180 BUS / US 85 BUS / US 87 BUS	8.98	Southboun	d 🗆	Pedestrian Skywalk		18' 9"	18' 9"	18' 7"	18' 7"	✓
Laramie	S GREELEY HWY I 25 BUS / I 180 BUS / US 85 / US 87 BUS	8.98	Northbound	d 🗆	Pedestrian Skywalk		18' 8"	18' 8"	18' 6"	18' 6"	~

Wyoming Department of Transportation

For Reference Only

County	Road	Marker	Lane	Underneath	Description	Ramp	Left Lane	Middle Lane	Right Lane	Min	Bypass
Laramie	S GREELEY HWY I 25 BUS / I 180 BUS / US 85 BUS / US 87 BUS	8.98	Southboun	nd 🗌	Pedestrain Skywalk		18' 9"	18' 9"	18' 7"	18' 7"	✓
Laramie	I 25 / US 87	9.10	Southboun	nd \square	Sign Structure		18' 10"	18' 10"	18' 10"	18' 10"	
Laramie	Ramp on I 25 / US 87 MP 0	9.37	Northboun	d \square	Sign Structure (off-ramp)	✓	N/A	19' 7"	19' 11"	19' 7"	✓
Laramie	I 25 / US 87	9.58	Southboun	nd \square	Sign Structure		21' 2"	19' 11"	19' 8"	19' 8"	
Laramie	WARREN AVE I 25 BUS / I 180 BUS / US 85 / US 87 BUS	9.70	Northboun	d 🗆	Sign Structure (off-ramp)		N/A	18' 7"	18' 7"	18' 7"	
Laramie	WARREN AVE I 25 BUS / I 180 BUS / US 85 / US 87 BUS	9.70	Northboun	d 🗆	Sign Structure (off-ramp)		N/A	18' 7"	18' 7"	18' 7"	
Laramie	CENTRAL AVE I 25 BUS / I 180 BUS / US 85 BUS / US 87 BUS	9.73	Southboun	nd 🗌	Sign Structure		19' 4"	19' 4"	19' 4"	19' 4"	
Laramie	CENTRAL AVE I 25 BUS / I 180 BUS / US 85 BUS / US 87 BUS	9.73	Southboun	nd 🗌	Sign Structure		19' 4"	19' 4"	19' 4"	19' 4"	
Laramie	WARREN AVE I 25 BUS / US 85 / US 87 BUS	9.75	Northboun	d 🗆	Sign Structure		19' 10"	19' 10"	19' 10"	19' 10"	
Laramie	WARREN AVE I 25 BUS / US 85 / US 87 BUS	9.75	Northboun	d 🗆	Sign Structure		19' 10"	19' 10"	19' 10"	19' 10"	
Laramie	I 25 / US 87	10.38	Northboun	d \square	Sign Structure		20' 11"	19' 4"	19' 3"	19' 3"	
Laramie	Ramp on I 25 / US 87 MP 0	10.57	Southboun	nd 🗆	Sign Structure (off-ramp)	✓	N/A	20' 0"	20' 0"	20' 0"	

Wyoming Department of Transportation

For Reference Only

	LIMITED VERTICAL CLEARANCES		Left	Middle	Right						
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Laramie	HAPPY JACK WY 210	10.59	Eastbound		Missile Drive Interchange (WY-210)		14' 6"	15' 11"	15' 9"	14' 6"	
Laramie	HAPPY JACK WY 210	10.59	Westbound		Missile Drive Interchange (WY-210)		15' 1"	17' 0"	17' 7"	15' 1"	
Laramie	I 25 / US 87	10.75	Southbound	d \square	Sign Structure		19' 10"	19' 10"	19' 10"	19' 10"	
Laramie	I 25 / US 87	10.87	Northbound	d	Sign Structure		20' 7"	19' 8"	19' 8"	19' 8"	
Laramie	I 25 / US 87	10.91	Southbound	d \square	Sign Structure		20' 1"	20' 1"	20' 1"	20' 1"	
Laramie	Ramp on I 25 / US 87 MP 0	11.31	Southbound	d \square	Sign Structure (off-ramp)	✓	20' 1"	20' 4"	N/A	20' 1"	
Laramie	I 25 / US 87	11.84	Southbound	d \square	Sign Structure		22' 6"	21' 6"	21' 9"	21' 6"	
Laramie	I 25 / US 87	12.15	Northbound	d \square	Country Club Road Separation		17' 3"	18' 6"	18' 3"	17' 3"	
Laramie	I 25 / US 87	12.15	Southbound	d \square	Country Club Road Separation		17' 1"	18' 3"	18' 5"	17' 1"	
Laramie	under I 80	12.30	Both	✓	Beech Street Separation		17' 0"	17' 0"	16' 11"	16' 11"	
Laramie	Ramp on I 25 / US 87 MP 0	12.50	Northbound	d 🗆	Sign Structure (off-ramp)	✓	N/A	20' 5"	20' 6"	20' 5"	
Laramie	I 25 / US 87	12.70	Southbound	d \square	Central Avenue Interchange (US-85)		17' 9"	17' 8"	17' 4"	17' 4"	✓
Laramie	I 25 / US 85 / US 87	12.70	Northbound	d 🗆	Central Avenue Interchange (US-85)		17' 8"	17' 6"	17' 3"	17' 3"	✓
Laramie	I 25 / US 85 / US 87	13.23	Northbound	d 🗆	Pedestrian Skywalk		19' 1"	19' 2"	19' 4"	19' 1"	
Laramie	I 25 / US 85 / US 87	13.23	Southbound	d \square	Pedestrian Skywalk		19' 8"	19' 9"	19' 11"	19' 8"	
Laramie	I 25 / US 85 / US 87	13.83	Northbound	d 🗆	Vandehei Interchange		16' 9"	16' 11"	17' 0"	16' 9"	✓
Laramie	I 25 / US 85 / US 87	13.83	Southbound	d \square	Vandehei Interchange		16' 11"	17' 2"	17' 5"	16' 11"	✓
Laramie	I 25 / US 85 / US 87	14.70	Southbound	d 🗆	Variable Message Sign Structure		21' 2"	21' 5"	21' 8"	21' 2"	

Wyoming Department of Transportation

For Reference Only

		Left	Middle	Right							
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Laramie	I 25 / US 85 / US 87	14.70	Northbound	d 🗆	Variable Message Sign Structure		21' 1"	21' 3"	21' 7"	21' 1"	
Laramie	I 25 / US 85 / US 87	16.23	Northbound	d \square	Iron Mtn Interchange (WY-211)		16' 8"	16' 10"	17' 1"	16' 8"	\checkmark
Laramie	I 25 / US 85 / US 87	16.23	Southboun	d \square	Iron Mtn Interchange (WY-211)		16' 7"	16' 10"	17' 2"	16' 7"	\checkmark
Laramie	Ramp on I 25 / US 87 MP .24	16.94	Southboun	d \square	US-85/87 Interchange (I-25)	~	16' 9"	16' 9"	16' 9"	16' 9"	\checkmark
Laramie	I 25 / US 87	21.32	Southboun	d \square	Ridley Road Interchange		18' 3"	18' 6"	18' 8"	18' 3"	✓
Laramie	I 25 / US 87	21.32	Northbound	d \square	Ridley Road Interchange		18' 3"	18' 6"	18' 7"	18' 3"	✓
Laramie	I 25 / US 87	25.45	Northbound	d \square	Missle Site A Interchange		16' 11"	17' 0"	17' 2"	16' 11"	✓
Laramie	I 25 / US 87	25.45	Southboun	d \square	Missle Site A Interchange		16' 6"	16' 8"	16' 10"	16' 6"	✓
Laramie	I 25 / US 87	29.51	Northbound	d \square	Whitaker Road Interchange		16' 1"	16' 4"	16' 5"	16' 1"	✓
Laramie	I 25 / US 87	29.51	Southboun	d \square	Whitaker Road Interchange		16' 2"	16' 5"	16' 6"	16' 2"	✓
Laramie	I 25 / US 87	34.44	Northbound	d \square	Nimmo Road Interchange		17' 9"	17' 9"	17' 9"	17' 9"	✓
Laramie	I 25 / US 87	34.44	Southboun	d \square	Nimmo Road Interchange		17' 0"	16' 10"	16' 6"	16' 6"	✓
Laramie	MORRIE AVE under I 80	99.90	Both	✓	Morrie Ave Road Separation		16' 0"	16' 4"	16' 0"	16' 0"	
Laramie	under I 25 BUS / US 85	100.01	Both	✓	Deming Drive Separation		17' 5"	17' 5"	17' 5"	17' 5"	✓
Laramie	WY 225	348.36	Both		Otto Road Interchange (I-80)		16' 8"	16' 8"	16' 8"	16' 8"	✓
Laramie	I 80 / US 30	356.70	Westbound		Variable Message Sign Structure		23' 11"	24' 0"	24' 2"	23' 11"	
Laramie	I 80 / US 30	356.70	Eastbound		Variable Message Sign Structure		20' 11"	21' 3"	21' 6"	20' 11"	
Laramie	I 80 / US 30	358.58	Eastbound		Sign Structure		17' 9"	17' 9"	18' 0"	17' 9"	
Laramie	Ramp on I 80 / US 189 MP 0	358.99	Westbound		Sign Structure (off-ramp)	✓	N/A	18' 10"	18' 10"	18' 10"	

Wyoming Department of Transportation

For Reference Only

INVENTORY OF LIMITED VERTICAL CLEARANCES								Middle	Right		
County	Road	Marker	Lane	Underneath	Description Description	Ramp	Left Lane	Lane	Lane	Min	Bypass
Laramie	I 80	359.30	Eastbound		Sign Structure		20' 0"	18' 6"	17' 8"	17' 8"	
Laramie	W LINCOLNWAY	359.55	Westbound		Lincolnway Interchange (I-80)		29' 1"	29' 3"	29' 5"	29' 1"	
Laramie	W LINCOLNWAY	359.55	Eastbound		Lincolnway Interchange (I-80)		28' 11"	29' 1"	29' 5"	28' 11"	
Laramie	I 80	359.60	Eastbound		I-25/80 Interchange		16' 11"	16' 10"	16' 10"	16' 10"	✓
Laramie	I 80	359.60	Westbound		I-25/80 Interchange		17' 9"	18' 2"	18' 8"	17' 9"	✓
Laramie	I 80	359.62	Westbound		Sign Structure		18' 0"	18' 1"	18' 3"	18' 0"	
Laramie	I 80	359.93	Westbound		Sign Structure		22' 3"	22' 1"	22' 3"	22' 1"	
Laramie	W LINCOLNWAY	360.10	Eastbound		US-30 Interchange (I-25)		26' 6"	26' 9"	26' 11"	26' 6"	
Laramie	W LINCOLNWAY I 80 BUS / US 30	360.10	Westbound		US-30 Interchange (I-25)		26' 6"	26' 9"	27' 0"	26' 6"	
Laramie	I 80	360.39	Westbound		BNRR Separation		16' 4"	16' 3"	16' 4"	16' 3"	
Laramie	I 80	360.39	Eastbound		BNRR Separation		16' 9"	17' 0"	17' 4"	16' 9"	
Laramie	I 80	360.78	Westbound		Tank Farm Road Separation		16' 3"	16' 3"	16' 4"	16' 3"	
Laramie	I 80	360.78	Eastbound		Tank Farm Road Separation		16' 10"	17' 1"	17' 6"	16' 10"	
Laramie	W LINCOLNWAY I 80 BUS / US 30	360.89	Westbound		BNRR Separation		19' 3"	18' 11"	18' 8"	18' 8"	
Laramie	W LINCOLNWAY I 80 BUS / US 30	360.89	Eastbound		BNRR Separation		18' 8"	19' 0"	19' 4"	18' 8"	
Laramie	I 80	361.03	Westbound		Pedestrian Skywalk		19' 10"	19' 0"	18' 1"	18' 1"	
Laramie	I 80	361.03	Eastbound		Pedestrian Skywalk		21' 6"	20' 10"	19' 9"	19' 9"	
Laramie	W 16TH ST / W LINCOLNWAY I 80 BUS / US 30	361.83	Eastbound		Railroad Crossing Cantilevers		18' 7"	18' 7"	18' 7"	18' 7"	

Wyoming Department of Transportation

For Reference Only

			INVEN	TORY OF I	LIMITED VERTICAL CLEARANCES	Left		Middle	Right		
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Laramie	W 16TH ST / W LINCOLNWAY I 80 BUS / US 30	361.83	Westbound		Railroad Crossing Cantilevers		18' 3"	18' 3"	18' 3"	18' 3"	
Laramie	Ramp on I 80 / US 189 MP 0	361.83	Eastbound		Sign Structure (off-ramp)	✓	N/A	18' 10"	18' 10"	18' 10"	✓
Laramie	W 16TH ST / W LINCOLNWAY I 80 BUS / US 30	362.25	Eastbound		Sign Structure (off-ramp)		N/A	N/A	19' 2"	19' 2"	✓
Laramie	Ramp on I 80 / US 189 MP 0	362.27	Westbound		Sign Structure (off-ramp)	✓	N/A	17' 8"	17' 8"	17' 8"	✓
Laramie	W 16TH ST / W LINCOLNWAY I 80 BUS / US 30	362.29	Both		Sign Structure		19' 6"	19' 6"	19' 6"	19' 6"	✓
Laramie	W 16TH ST / W LINCOLNWAY I 80 BUS / US 30	362.36	Both		Sign Structure		19' 4"	19' 4"	19' 4"	19' 4"	✓
Laramie	I 80	364.00	Eastbound		Sun Valley Interchange (WY-212)		17' 1"	17' 2"	17' 2"	17' 1"	✓
Laramie	I 80	364.00	Westbound		Sun Valley Interchange (WY-212)		17' 1"	17' 1"	16' 11"	16' 11"	✓
Laramie	Ramp on I 80 / US 189 MP 0	364.34	Westbound		Sign Structure (off-ramp)	✓	N/A	17' 1"	17' 5"	17' 1"	✓
Laramie	I 80 / US 30	370.39	Eastbound		Archer Interchange		18' 8"	18' 8"	18' 8"	18' 8"	✓
Laramie	I 80 / US 30	370.39	Westbound		Archer Interchange		18' 5"	17' 11"	17' 7"	17' 7"	✓
Laramie	I 80 / US 30	372.49	Westbound		AVI Reader		21' 3"	21' 3"	21' 3"	21' 3"	
Laramie	I 80 / US 30	373.00	Westbound		Variable Message Sign Structure		20' 11"	21' 1"	21' 3"	20' 11"	· 🗌
Laramie	PARSON ST US 30	401.46	Both		Pine Bluffs Interchange		16' 6"	16' 9"	17' 1"	16' 6"	
Lincoln	ALPINE SPUR US 26	0.00	Both		Sign Structure		20' 1"	20' 1"	20' 1"	20' 1"	
Lincoln	US 30	54.19	Both		Sign Structure		23' 5"	23' 7"	23' 5"	23' 5"	
Lincoln	US 30	54.55	Both		US-30/189 Interchange		16' 11"	17' 4"	16' 11"	16' 11'	· 🗸

Wyoming Department of Transportation

For Reference Only

				Left	Middle	Right					
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Lincoln	US 30	54.90	Both		Sign Structure		23' 2"	23' 1"	23' 2"	23' 1"	
Lincoln	US 30	71.85	Both		UPRR Separation		16' 6"	16' 6"	16' 6"	16' 6"	
Lincoln	US 89	85.15	Southboun	d \square	Sign Structure		17' 7"	17' 7"	17' 7"	17' 7"	
Lincoln	US 89	85.15	Northbound	d 🗆	Sign Structure		17' 1"	17' 1"	17' 1"	17' 1"	
Lincoln	US 30 TO US 189 CONN / FOSSIL BUTTE RD	154.52	Both		Sign Structure		24' 0"	24' 0"	24' 0"	24' 0"	
Natrona	under I 25 / US 87	0.00	Both	✓	Ranch Road Seperation		16' 3"	16' 3"	16' 3"	16' 3"	
Natrona	under I 25	0.00	Both	✓	N. Walsh Drive		28' 11"	28' 10"	28' 11"	28' 10"	
Natrona	W ORMSBY RD CR 705W under I 25 / US 87	0.00	Both	✓	Ormsby Road Interchange		16' 7"	16' 7"	16' 7"	16' 7"	
Natrona	under I 25 / US 87	0.00	Both	✓	Old US-87 Separation		17' 2"	17' 2"	17' 2"	17' 2"	
Natrona	under I 25 / US 20 / US 26 / US 87	0.01	Southbound	d 🔽	Mckinley Street Interchange		14' 9"	14' 9"	14' 9"	14' 9"	
Natrona	under I 25 / US 20 / US 26 / US 87	0.01	Northbound		Mckinley Street Interchange		14' 8"	14' 8"	14' 8"	14' 8"	
Natrona	under I 25	0.15	Both	\checkmark	Blackmore Road (CR-600) Separation		17' 1"	17' 1"	17' 1"	17' 1"	
Natrona		0.44	Both		BNRR Separation		13' 4"	13' 4"	13' 5"	13' 4"	
Natrona	US 20/US 26 TO I 25 CONN	0.47	Westbound		Sign Structure		19' 8"	19' 11"	20' 0"	19' 8"	
Natrona	N CENTER ST WY 255	0.65	Northbound	d 🗆	Center Street Interchange (I-25)		14' 7"	14' 7"	14' 7"	14' 7"	
Natrona	N CENTER ST WY 255	0.65	Southbound	d \square	Center Street Interchange (I-25)		14' 6"	14' 6"	14' 6"	14' 6"	

Wyoming Department of Transportation

For Reference Only

INVENTORY OF LIMITED VERTICAL CLEARANCE							Left	Middle	Right		
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Natrona	US 20/US 26 TO I 25 CONN	2.09	Eastbound		Salt Creek Highway Interchange		17' 4"	17' 4"	17' 6"	17' 4"	✓
Natrona	US 20/US 26 TO I 25 CONN	2.09	Westbound	ı 🗆	Salt Creek Highway Interchange		17' 4"	17' 6"	17' 7"	17' 4"	✓
Natrona	US 20/US 26 TO I 25 CONN	2.47	Eastbound		Variable Message Sign Structure		20' 5"	20' 7"	20' 1"	20' 1"	
Natrona	US 20/US 26 TO I 25 CONN	2.62	Eastbound		Sign Structure		20' 1"	20' 1"	20' 8"	20' 1"	
Natrona	US 20/US 26 TO I 25 CONN	2.90	Both		Shoshoni Interchange (I-25)		16' 10"	17' 8"	16' 10"	16' 10'	· 🗸
Natrona	HOWARD ST WY 254	4.06	Both		Wardwell Interchange (I-25)		17' 1"	17' 1"	17' 1"	17' 1"	
Natrona	YELLOWSTONE HWY US 20 BUS / US 26 BUS / US 87 BUS	6.04	Eastbound		Sign Structure		21' 5"	21' 5"	21' 5"	21' 5"	
Natrona	YELLOWSTONE HWY US 20 BUS / US 26 BUS / US 87 BUS	6.04	Westbound		Sign Structure		21' 5"	21' 5"	21' 5"	21' 5"	
Natrona	YELLOWSTONE HWY US 20 BUS / US 26 BUS / US 87 BUS	6.11	Eastbound		Sign Structure		18' 11"	18' 11"	18' 11"	18' 11'	'
Natrona	YELLOWSTONE HWY US 20 BUS / US 26 BUS / US 87 BUS	6.11	Westbound		Sign Structure		18' 11"	18' 11"	18' 11"	18' 11'	'
Natrona	WY 257	7.29	Both		Sign Structure		20' 1"	20' 1"	20' 1"	20' 1"	
Natrona	WYOMING BLVD WY 258	10.01	Southboun	d \square	Sign Structure		20' 11"	20' 11"	20' 11"	20' 11'	'

Wyoming Department of Transportation

For Reference Only

INVENTORY OF LIMITED VERTICAL CLEARANCE							Left	Middle	Right		
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Natrona	WYOMING BLVD WY 258	10.01	Northbound		Sign Structure		18' 1"	18' 1"	18' 1"	18' 1"	
Natrona	WY 259	10.08	Both		Horse Ranch Creek Interchange (I-25)		15' 8"	15' 8"	15' 8"	15' 8"	
Natrona	WYOMING BLVD WY 258	17.25	Both		Pedestrian Skywalk		19' 0"	19' 8"	19' 0"	19' 0"	
Natrona	WYOMING BLVD WY 258	17.86	Both		Sign Structure		21' 11"	21' 11"	23' 3"	21' 11"	
Natrona	WYOMING BLVD WY 258	17.88	Both		Sign Structure		21' 6"	21' 6"	21' 10"	21' 6"	
Natrona	WYOMING BLVD WY 258	18.03	Both		Sign Structure		N/A	22' 2"	22' 2"	22' 2"	
Natrona	WYOMING BLVD WY 258	18.06	Both		Sign Structure		21' 6"	21' 6"	21' 9"	21' 6"	
Natrona	WYOMING BLVD WY 258	18.22	Both		Evansville Interchange (I-25)		17' 3"	17' 3"	17' 3"	17' 3"	
Natrona	WYOMING BLVD WY 258	18.30	Both		Sign Structure		22' 0"	22' 0"	22' 0"	22' 0"	
Natrona	WY 387	93.45	Both		Smokey Gap Interchange (I-25)		16' 5"	16' 5"	16' 5"	16' 5"	
Natrona	WESTWINDS RD under I 25 / US 87	99.59	Both	~	Westwinds Road Interchange		17' 7"	17' 7"	17' 7"	17' 7"	
Natrona	CY AVE WY 220	107.30	Eastbound		Variable Message Sign Structure		20' 7"	20' 5"	20' 2"	20' 2"	
Natrona	CY AVE WY 220	107.30	Westbound		Variable Message Sign Structure		21' 5"	21' 9"	22' 1"	21' 5"	
Natrona	CY AVE WY 220	108.56	Westbound		Variable Message Sign Structure		25' 5"	25' 7"	25' 9"	25' 5"	
Natrona	CY AVE WY 220	111.04	Westbound		Sign Structure		N/A	19' 0"	19' 0"	19' 0"	
Natrona	CY AVE WY 220	113.36	Eastbound		Sign Structure		18' 1"	18' 1"	18' 1"	18' 1"	
Natrona	CY AVE WY 220	113.36	Westbound		Sign Structure		19' 10"	19' 10"	19' 10"	19' 10"	
Natrona	S POPLAR ST WY 220	117.21	Northbound		Poplar Street Interchange (I-25)		16' 4"	16' 4"	16' 2"	16' 2"	

Wyoming Department of Transportation

For Reference Only

INVENTORY OF LIMITED VERTICAL CLEARANCES							Left	Middle	Riaht		
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Natrona	S POPLAR ST WY 220	117.21	Southboun	d \square	Poplar Street Interchange (I-25)		16' 7"	16' 9"	17' 0"	16' 7"	
Natrona	I 25	180.50	Southboun	d \square	Variable Message Sign Structure		24' 11"	25' 2"	25' 5"	24' 11"	
Natrona	I 25	180.50	Northbound	d \square	Variable Message Sign Structure		24' 10"	25' 0"	25' 1"	24' 10"	
Natrona	I 25	182.53	Northbound	d \square	Hat Six Interchange (WY-253)		18' 0"	18' 3"	18' 4"	18' 0"	✓
Natrona	I 25	182.53	Southboun	d \square	Hat Six Interchange (WY-253)		17' 11"	18' 3"	18' 6"	17' 11"	✓
Natrona	I 25	184.13	Northbound	d \square	Overheight Warning Sign (Passing Lane)		20' 2"	20' 4"	N/A	20' 2"	
Natrona	I 25	184.17	Southboun	d \square	Variable Message Sign Structure		20' 8"	20' 6"	20' 3"	20' 3"	
Natrona	I 25	184.88	Northbound	d \square	Overheight Warning Sign (Driving Lane)		N/A	19' 11"	20' 0"	19' 11"	· 🗌
Natrona	I 25	186.29	Northbound	d \square	Sign Structure		19' 4"	19' 10"	20' 0"	19' 4"	✓
Natrona	I 25 / US 20 / US 26 / US 87	186.36	Southboun	d \square	Yellowstone Street Separation		19' 5"	18' 5"	17' 4"	17' 4"	✓
Natrona	I 25 / US 20 / US 26 / US 87	186.36	Northbound	d \square	Yellowstone Street Separation		19' 0"	18' 6"	17' 8"	17' 8"	✓
Natrona	I 25 / US 20 / US 26 / US 87	186.45	Southboun	d \square	Hereford Lane Separartion		16' 5"	15' 11"	14' 11"	14' 11"	'
Natrona	I 25 / US 20 / US 26 / US 87	186.45	Northbound	d \square	Hereford Lane Separartion		17' 1"	17' 1"	17' 0"	17' 0"	✓
Natrona	I 25 / US 20 / US 26 / US 87	186.60	Southboun	d \square	BNRR Separation		15' 5"	15' 5"	15' 5"	15' 5"	✓
Natrona	I 25 / US 20 / US 26 / US 87	186.60	Northbound	d \square	BNRR Separation		14' 11"	14' 11"	14' 11"	14' 11"	~
Natrona	I 25 / US 20 / US 26 / US 87	186.79	Southboun	d \square	Bryan Stock Trail Interchange		16' 7"	16' 9"	16' 6"	16' 6"	✓
Natrona	I 25 / US 20 / US 26 / US 87	186.79	Northbound	d \square	Bryan Stock Trail Interchange		16' 4"	15' 11"	15' 1"	15' 1"	✓
Natrona	I 25 / US 20 / US 26 / US 87	187.10	Southboun	d \square	Sign Structure		21' 5"	21' 1"	21' 8"	21' 1"	✓

Wyoming Department of Transportation

For Reference Only

		Left	Middle	Right							
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Natrona	I 25 / US 20 / US 26 / US 87	187.20	Southbour	nd 🗆	Sign Structure		21' 0"	21' 2"	21' 4"	21' 0"	
Natrona	I 25 / US 20 / US 26 / US 87	187.20	Northboun	d \square	Sign StructureMckinley Street Exit Sign (on off-ramp)		22' 8"	23' 11"	23' 11"	22' 8"	
Natrona	Ramp on I 25 / US 87 MP 0	187.73	Southbour	nd 🗆	Sign Structure (off-ramp)	✓	N/A	N/A	21' 8"	21' 8"	✓
Natrona	I 25 / US 20 / US 26 / US 87	187.95	Southbour	nd 🗆	Sign Structure		22' 1"	22' 5"	22' 7"	22' 1"	
Natrona	I 25 / US 20 / US 26 / US 87	187.95	Northboun	d \square	Sign Structure		23' 6"	23' 9"	23' 11"	23' 6"	
Natrona	I 25 / US 20 / US 26 / US 87	188.34	Northboun	d \square	Sign Structure		20' 0"	20' 2"	21' 10"	20' 0"	
Natrona	I 25 / US 20 / US 26 / US 87	188.34	Southbour	ıd 🗆	Sign Structure		20' 7"	20' 9"	20' 2"	20' 2"	
Natrona	I 25 / US 20 / US 26 / US 87	189.00	Northboun	d \square	Sign Structure		19' 9"	19' 9"	20' 2"	19' 9"	
Natrona	I 25 / US 20 / US 26 / US 87	189.17	Northboun	d \square	Sign Structure		20' 7"	20' 7"	20' 8"	20' 7"	
Natrona	I 25 / US 87	189.72	Southboun	nd 🗆	Sign Structure		20' 8"	20' 10"	20' 10"	20' 8"	
Natrona	I 25 / US 87	196.40	Southbour	nd 🗆	Variable Message Sign Structure		24' 10"	25' 0"	25' 3"	24' 10'	
Natrona	I 25 / US 87	196.40	Northboun	d \square	Variable Message Sign Structure		24' 9"	24' 11"	25' 5"	24' 9"	
Natrona	I 25 / US 87	214.73	Northboun	d \square	Teapot Rock Separation		19' 7"	19' 10"	20' 0"	19' 7"	
Natrona	I 25 / US 87	214.73	Southboun	nd 🗆	Teapot Rock Separation		20' 0"	20' 7"	20' 11"	20' 0"	
Natrona	I 25 / US 87	216.43	Northboun	d \square	Ranch Road Interchange		17' 5"	17' 7"	17' 9"	17' 5"	
Natrona	I 25 / US 87	216.43	Southboun	nd 🗆	Ranch Road Interchange		17' 3"	17' 7"	17' 10"	17' 3"	✓
Natrona	I 25 / US 87	223.78	Northboun	d \square	Midwest Interchange		17' 5"	17' 1"	16' 8"	16' 8"	✓
Natrona	I 25 / US 87	223.78	Southbour	ıd 🗆	Midwest Interchange		16' 9"	17' 4"	18' 0"	16' 9"	✓

Wyoming Department of Transportation

For Reference Only

			IIII DI	TORTOTI	LIMITED VERTICAL CLEARAINCES		Left	Middle	Right		
County	Road	Marker	Lane	Underneath	Description Description	Ramp	Lane	Lane	Lane	Min	Bypass
Niobrara	CEDAR ST / N MAIN ST US 18 / US 85	149.78	Northboun	d 🗆	Sign Structure		19' 10"	19' 10"	19' 10"	19' 10"	✓
Niobrara	CEDAR ST / N MAIN ST US 18 / US 85	149.78	Southboun	d \square	Sign Structure		19' 10"	19' 10"	19' 10"	19' 10"	✓
Park	US 14A / WY 114	18.68	Both		Railroad Crossing Cantilevers		18' 2"	18' 2"	18' 2"	18' 2"	
Park	WY 114	36.62	Both		Railroad Crossing Cantilevers		17' 8"	17' 8"	17' 8"	17' 8"	
Park	US 14 / US 16 / US 20	45.37	Both		Tunnel		14' 1"	14' 9"	14' 1"	14' 1"	
Park	US 14 / US 16 / US 20	45.78	Both		Tunnel		14' 1"	14' 1"	14' 1"	14' 1"	
Park	US 14 / US 16 / US 20	45.85	Both		Tunnel		14' 3"	14' 1"	14' 1"	14' 1"	
Park	SHERIDAN AVE US 14 / US 16 / US 20	52.35	Eastbound		Sign Structure		18' 11"	18' 11"	17' 10"	17' 10"	
Park	SHERIDAN AVE US 14 / US 16 / US 20	52.35	Westbound	ı 🗆	Sign Structure		22' 6"	22' 6"	22' 6"	22' 6"	
Park	GREYBULL HWY US 14 / US 16 / US 20 / WY 120	54.49	Eastbound		Sign Structure		19' 4"	19' 6"	19' 8"	19' 4"	
Park	GREYBULL HWY US 14 / US 16 / US 20 / WY 120	54.49	Westbound	i	Sign Structure		20' 7"	20' 9"	20' 10"	20' 7"	
Park	US 14 / US 16 / US 20	54.66	Eastbound		Sign Structure		20' 9"	20' 9"	20' 9"	20' 9"	
Park	US 14 / US 16 / US 20	54.66	Westbound	i \Box	Sign Structure		19' 5"	19' 5"	19' 11"	19' 5"	

Wyoming Department of Transportation

For Reference Only

			INVEN	TORY OF I	LIMITED VERTICAL CLEARANCES		Left	Middle	Right		
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Platte	under I 25 / US 26 / US 87	0.00	Both	✓	County Road Separation		15' 10"	15' 10"	15' 10"	15' 10"	
Platte	under I 25 / US 26 / US 87	0.00	Both	\checkmark	County Road Separation		13' 6"	13' 6"	13' 6"	13' 6"	
Platte	under I 25 / US 87	0.00	Both	✓	Laramie River Interchange		14' 3"	14' 3"	14' 3"	14' 3"	
Platte	under I 25 / US 26 / US 87	0.00	Both	\checkmark	Middle Bear Interchange		14' 11"	14' 11"	14' 11"	14' 11"	
Platte	under I 25 / US 87	0.00	Both	✓	Old US-87 Separation		14' 10"	14' 10"	14' 10"	14' 10"	
Platte	under I 25 / US 26 / US 87	0.00	Both	\checkmark	Horseshoe Creek Road Separation		15' 2"	15' 2"	15' 2"	15' 2"	
Platte	BORDEAUX RD CR 232 under I 25 / US 87	0.00	Both	•	Bordeaux Interchange		16' 6"	16' 6"	16' 6"	16' 6"	
Platte	Ramp on US 26 MP 0	0.01	Eastbound		Dwyer Jct (Middle Level on Ramp)	✓	17' 6"	17' 6"	17' 6"	17' 6"	
Platte	Ramp on US 26 MP 0	0.01	Westbound		Dwyer Jct (Lower Level on Ramp)	✓	17' 9"	17' 9"	17' 9"	17' 9"	
Platte	S ANTELOPE CREEK RD CR 264 under I 25 / US 87	0.04	Both	✓	Antelope Interchange		14' 1"	14' 1"	14' 1"	14' 1"	
Platte	E JOHNSON RD CR 195 under I 25 / US 87	0.06	Both	•	North Laramie River Interchange		14' 5"	14' 5"	14' 5"	14' 5"	
Platte	Ramp on US 26 MP 0	0.19	Westbound		Sign Structure	✓	20' 2"	20' 2"	20' 2"	20' 2"	
Platte	PEPPER RD CR 117 under I 25 / US 26 / US 87	3.18	Both	✓	El Rancho Interchange		17' 4"	17' 4"	17' 4"	17' 4"	
Platte	W SOUTH ST WY 312	7.18	Both		South Street Separation		16' 5"	16' 5"	16' 5"	16' 5"	

Wyoming Department of Transportation

For Reference Only

INVENTORY OF LIMITED VERTICAL CLEARANG							Left	Middle	Right		
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Platte	I 25 / US 87	47.25	Southboun	d \square	East Bear Creek Interchange		16' 8"	17' 1"	17' 5"	16' 8"	✓
Platte	I 25 / US 87	47.25	Northbound	d \square	East Bear Creek Interchange		16' 6"	16' 5"	16' 4"	16' 4"	✓
Platte	I 25 / US 87	51.68	Northbound	d \square	Variable Message Sign Structure		20' 8"	20' 10"	21' 3"	20' 8"	
Platte	WY 34	52.29	Both		WY-34 Interchange (I-25)		16' 0"	16' 0"	16' 0"	16' 0"	
Platte	WY 321	54.59	Both		Chugwater Interchange (I-25)		16' 8"	16' 8"	16' 8"	16' 8"	
Platte	WY 321	57.93	Both		Ty Basin Interchange (I-25)		14' 2"	14' 2"	14' 2"	14' 2"	
Platte	I 25 / US 87	59.39	Southboun	d \square	Variable Message Sign Structure		21' 10"	22' 2"	22' 4"	21' 10'	"
Platte	WY 211	63.95	Both		Chugwater Interchange (I-25)		16' 7"	16' 7"	16' 7"	16' 7"	
Platte	I 25 / US 87	65.25	Southboun	d \square	Slater Road Interchange (WY-314)		16' 7"	16' 9"	17' 2"	16' 7"	✓
Platte	I 25 / US 87	65.25	Northbound	d \square	Slater Road Interchange (WY-314)		16' 5"	16' 7"	16' 9"	16' 5"	✓
Platte	I 25 / US 87	66.20	Northbound	d \square	Hunton Interchange		17' 3"	16' 11"	16' 8"	16' 8"	
Platte	I 25 / US 87	66.20	Southboun	d \square	Hunton Interchange		17' 2"	17' 6"	18' 0"	17' 2"	
Platte	I 25 / US 87	77.00	Northbound	d \square	Variable Message Sign Structure		21' 3"	21' 6"	21' 9"	21' 3"	
Platte	I 25 / US 87	77.00	Southboun	d \square	Variable Message Sign Structure		21' 2"	21' 2"	21' 4"	21' 2"	
Platte	I 25 / US 87	78.93	Southboun	d \square	South Wheatland Interchange (US-87B)		17' 0"	17' 3"	17' 8"	17' 0"	✓
Platte	I 25 / US 87	78.93	Northbound	d \square	South Wheatland Interchange (US-87B)		16' 7"	16' 7"	16' 8"	16' 7"	✓
Platte	I 25 / US 87	79.85	Northbound	d \square	Oak Street Separation		16' 7"	16' 8"	16' 9"	16' 7"	
Platte	I 25 / US 87	79.85	Southboun	d \square	Oak Street Separation		16' 11"	17' 1"	17' 4"	16' 11'	"
Platte	OLD US 87 / SWANSON RD US 87 BUS	81.89	Both		North Wheatland Interchange (I-25)		16' 2"	16' 2"	16' 2"	16' 2"	
Platte	I 25 / US 87	82.20	Northbound	d \square	Fairview Separation		17' 4"	17' 7"	17' 9"	17' 4"	
Platte	I 25 / US 87	82.20	Southboun	d \square	Fairview Separation		18' 8"	18' 6"	18' 3"	18' 3"	
Platte	I 25 / US 87	82.40	Southboun	d \square	Variable Message Sign Structure		20' 3"	20' 6"	20' 9"	20' 3"	

Wyoming Department of Transportation

For Reference Only

.		-		EMITED VERTICAL CELARATIVEES	_	Left			3.51	_
Road	Marker	Lane	Underneati	n Description	Ramp	Lane	Lane	Lane	Min	Bypass
I 25 / US 87	82.40	Northbour	nd \square	Variable Message Sign Structure		20' 1"	20' 4"	20' 6"	20' 1"	
I 25 / US 26 / US 87	92.54	Southbou	nd \square	Sign Structure		19' 8"	19' 8"	19' 8"	19' 8"	
I 25 / US 26 / US 87	93.64	Southbou	nd \square	Variable Message Sign Structure		20' 4"	20' 5"	20' 8"	20' 4"	
WY 319	100.13	Both		Cassa Interchange (I-25)		14' 8"	14' 8"	14' 8"	14' 8"	
WY 319	111.68	Both		Glendo Interchange (I-25)		16' 5"	16' 5"	16' 5"	16' 5"	✓
under I 90	0.00	Both	✓	Prairie Dog Interchange		15' 1"	15' 1"	15' 1"	15' 1"	
WY 342	0.00	Both		Meade Road Interchange (WY-342)		14' 8"	14' 8"	14' 8"	14' 8"	
COAL BANK RD CR 79 under I 90 / US 14 / US 87	0.05	Both	✓	County Road Separation		16' 10"	16' 10"	16' 10"	16' 10"	'
GREYBULL AVE US 14	0.28	Both		US-14 Interchange (I-90)		16' 8"	16' 7"	16' 11"	16' 7"	
KROE LN (CITY DUMP RD) under I 90 / US 14 / US 87	0.59	Both	✓	County Road Separation		14' 5"	14' 5"	14' 5"	14' 5"	
HIGBY RD CR 123 under I 90 / US 14 / US 87		Both	✓	County Road Separation		29' 4"	29' 4"	29' 4"	29' 4"	
5TH ST WY 336	0.95	Both		5th Street Interchange (I-90)		17' 10"	17' 10"	17' 7"	17' 7"	
WY 341	1.85	Both		Railroad Crossing Cantilevers		22' 3"	22' 3"	22' 3"	22' 3"	
BARKER RD CR 65 under I 90 / US 87	3.27	Both	•	Parkman Interchange		16' 2"	16' 2"	16' 2"	16' 2"	
WY 336	7.00	Both		RR Cantilever		22' 3"	22' 3"	22' 3"	22' 3"	
WY 336	7.07	Both		RR Cantilever		22' 1"	22' 3"	22' 1"	22' 1"	
	I 25 / US 26 / US 87 I 25 / US 26 / US 87 WY 319 WY 319 WY 342 COAL BANK RD CR 79 under I 90 / US 14 / US 87 GREYBULL AVE US 14 KROE LN (CITY DUMP RD) under I 90 / US 14 / US 87 HIGBY RD CR 123 under I 90 / US 14 / US 87 STH ST WY 336 WY 341 BARKER RD CR 65 under I 90 / US 87 WY 336	I 25 / US 87 82.40 I 25 / US 26 / 92.54 US 87 I 25 / US 26 / 93.64 US 87 WY 319 100.13 WY 319 111.68 under I 90 0.00 WY 342 0.00 COAL BANK RD 0.05 CR 79 under I 90 / US 14 / US 87 GREYBULL AVE 0.28 US 14 KROE LN (CITY DUMP RD) under I 90 / US 14 / US 87 HIGBY RD CR 123 under I 90 / US 14 / US 87 STH ST WY 336 WY 341 1.85 BARKER RD CR 65 under I 90 / US 87 WY 336 7.00	I 25 / US 87 82.40 Northbour I 25 / US 26 / US 87 93.64 Southbour US 87 94 111.68 Both UN 319 111.68 Both UN 342 0.00 Both WY 342 0.00 Both WY 342 0.00 Both WY 342 0.05 Both COAL BANK RD 0.05 Both US 14 / US 87 90 / US 14 / US 87 GREYBULL AVE 0.28 Both US 14 S87 90 / US 14 / US 87 HIGBY RD 0.68 Both 123 under 1 90 / US 14 / US 87 STH ST WY 336 0.68 Both BARKER RD 0.95 Both BARKER RD 0.95 Both WY 341 1.85 Both BARKER RD 1 3.27 Both WY 336 7.00 Both	Road Marker Lane Underneated I 25 / US 87 82.40 Northbound □ I 25 / US 26 / US 87 92.54 Southbound □ I 25 / US 26 / US 87 93.64 Southbound □ WY 319 100.13 Both □ WY 319 111.68 Both □ under I 90 0.00 Both □ WY 342 0.00 Both □ COAL BANK RD I CR 79 under I 90 / US 14 / US 87 0.05 Both □ GREYBULL AVE I US 14 0.28 Both □ KROE LN (CITY DUMP RD) 0.59 Both □ US 14 / US 87 0.68 Both □ HIGBY RD I CR 123 under I 90 / US 14 / US 87 0.95 Both □ STH ST I WY 336 0.95 Both □ BARKER RD I CR 65 under I 90 / US 87 3.27 Both □ WY 336 7.00 Both □	Road Marker Lane Underneath Description I 25 / US 87 82.40 Northbound □ Variable Message Sign Structure I 25 / US 26 / US 87 92.54 Southbound □ Sign Structure I 25 / US 26 / US 87 93.64 Southbound □ Variable Message Sign Structure WY 319 100.13 Both □ Cassa Interchange (I-25) WY 319 111.68 Both □ Glendo Interchange (I-25) under I 90 0.00 Both □ Prairie Dog Interchange (I-25) under I 90 0.00 Both □ Meade Road Interchange (WY-342) COAL BANK RD CR 79 under I 90 / US 14 / US 87 0.05 Both □ US-14 Interchange (I-90) KROE LN (CITY DUMP RD) US 14 / US 87 0.59 Both □ County Road Separation HIGBY RD CR 123 under I 90 / US 14 / US 87 □ County Road Separation □ Sth Street Interchange (I-90) 5TH ST WY 336 0.95 Both □ Sth Street Interchange (I-90) MY 341 1.85 Both □ Railroad Crossing Cantilever BARKER RD CR 5 under I 90 / US 65 under I 90 / US 65 under I 90 / US 65 under I 90 / US 6	Road Marker Lane Underneath Description Ramp 1 25 / US 87 82.40 Northbound □ Variable Message Sign Structure □ I 25 / US 26 / US 87 92.54 Southbound □ Sign Structure □ I 25 / US 26 / US 87 93.64 Southbound □ Variable Message Sign Structure □ WY 319 100.13 Both □ Cassa Interchange (I-25) □ WY 319 111.68 Both □ Glendo Interchange (I-25) □ under I 90 0.00 Both □ Prairie Dog Interchange □ WY 342 0.00 Both □ Meade Road Interchange (WY-342) □ COAL BANK RD CR 790 / US 14 / US 87 Both ☑ County Road Separation □ GREYBULL AVE US 14 0.28 Both ☑ County Road Separation □ KROE LN (CITY DUMP RD) Under I 90 / US 14 / US 87 □ Separation □ □ FH ST WY 336 0.68 Both ☑ County Road Separation □ STH ST WY 336 0.95 <	Road Marker Lane Underneath Description Ramp Left Lane	Road Marker Lane Underneath Description Ramp Left Lane Lane	Road Marker Lane Underneath Description Left Audie Middle Lane Lane Lane Lane Lane Lane Lane Lane Lane Lane	Road Marker Lane Underneath Description Ramp Lane Lane Lane Lane Lane Middle Right

Wyoming Department of Transportation

For Reference Only

INVENTORY OF LIMITED VERTICAL CLEARAN							Left	Middle	Right		
County	Road	Marker	Lane	Underneath	Description Description	Ramp	Lane	Lane	Lane	Min	Bypass
Sheridan	I 90 / US 87	9.48	Eastbound		Sign Structure		20' 5"	20' 4"	20' 8"	20' 4"	
Sheridan	I 90 / US 14 / US 87	10.28	Westbound		Sign Structure		21' 11"	22' 1"	21' 3"	21' 3"	
Sheridan	I 90 / US 14 / US 87	15.12	Eastbound		AVI Reader		24' 1"	22' 9"	22' 7"	22' 7"	
Sheridan	I 90 / US 14 / US 87	15.19	Eastbound		AVI Reader		22' 10"	22' 8"	22' 8"	22' 8"	
Sheridan	I 90 / US 14 / US 87	16.20	Eastbound		AVI Reader		21' 5"	21' 3"	21' 3"	21' 3"	
Sheridan	I 90 / US 14 / US 87	16.34	Eastbound		Dietz Interchange		19' 3"	19' 2"	18' 10"	18' 10"	
Sheridan	I 90 / US 14 / US 87	16.34	Westbound		Dietz Interchange		18' 11"	18' 10"	18' 5"	18' 5"	
Sheridan	I 90 / US 14 / US 87	16.49	Westbound		AVI Reader		20' 5"	20' 4"	20' 4"	20' 4"	
Sheridan	I 90 / US 14 / US 87	17.92	Westbound		AVI Reader		22' 0"	21' 3"	21' 3"	21' 3"	
Sheridan	I 90 / US 14 / US 87	18.09	Westbound		AVI Reader		25' 6"	23' 9"	23' 9"	23' 9"	
Sheridan	I 90 / US 14 / US 87	18.17	Eastbound		Variable Message Sign Structure		20' 8"	20' 10"	20' 11"	20' 8"	
Sheridan	I 90 / US 14 / US 87	18.17	Westbound		Variable Message Sign Structure		21' 1"	21' 0"	21' 0"	21' 0"	
Sheridan		19.27	Both		Acme Interchange (I-90)		16' 7"	16' 7"	16' 7"	16' 7"	
Sheridan		20.04	Northbound	d \square	North Sheridan Interchange		20' 1"	19' 10"	19' 7"	19' 7"	
Sheridan		20.04	Southboun	d \square	North Sheridan Interchange		20' 4"	20' 4"	20' 4"	20' 4"	
Sheridan	US 87 BUS	20.40	Northbound	d 🗆	Sign Structure		19' 9"	19' 9"	19' 9"	19' 9"	

Wyoming Department of Transportation

For Reference Only

INVENTORY OF LIMITED VERTICAL CLEARANCE							Left	Middle	Right		
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Sheridan	N MAIN ST I 90 BUS / US 14 BUS / US 87 BUS	22.79	Northbound	d \square	Pedestrian Skywalk		17' 8"	18' 6"	18' 4"	17' 8"	
Sheridan	N MAIN ST I 90 BUS / US 14 BUS / US 87 BUS	22.79	Southbound	d 🗆	Pedestrian Skywalk		18' 6"	18' 6"	18' 4"	18' 4"	
Sheridan	I 90	26.77	Westbound		Variable Message Sign Structure		20' 9"	21' 1"	21' 5"	20' 9"	
Sheridan	I 90	26.77	Eastbound		Variable Message Sign Structure		20' 11"	21' 2"	21' 6"	20' 11"	
Sheridan	US 14	57.06	Both		Sign Structure		17' 7"	17' 7"	17' 7"	17' 7"	
Sheridan	DAYTON ST US 14	89.80	Both		Ranchester Interchange (I-90)		16' 10"	16' 10"	16' 10"	16' 10"	
Sublette	US 191	105.76	Both		Animal Overpass		23' 0"	25' 3"	22' 8"	22' 8"	
Sublette	US 189 / US 191	112.29	Both		Animal Overpass		22' 10"	23' 10"	22' 11"	22' 10"	
Sweetwater	under I 80 / US 30	0.00	Both	✓	Red Hills Interchange		14' 4"	14' 4"	14' 4"	14' 4"	
Sweetwater	under I 80 / US 30	0.00	Both	✓	Patrick Draw Interchange		15' 2"	15' 2"	15' 2"	15' 2"	
Sweetwater	WY 789	0.00	Both		Creston Jct Interchange (I-80)		15' 2"	15' 2"	15' 2"	15' 2"	
Sweetwater	under I 80 / US 30	0.00	Both	✓	Covered Wagon Road Interchange		18' 4"	17' 8"	17' 7"	17' 7"	
Sweetwater	under I 80 / US 30	0.00	Both	✓	Red Desert Interchange		15' 4"	15' 4"	15' 4"	15' 4"	
Sweetwater	under I 80 / US 30	0.00	Both	\checkmark	GL Road Interchange		13' 9"	13' 10"	13' 10"	13' 9"	
Sweetwater	under I 80 / US 30	0.00	Both	✓	Continental Divide Interchange		14' 11"	14' 11"	14' 11"	14' 11"	

Wyoming Department of Transportation

For Reference Only

	LIMITED VERTICAL CLEARANCES		Left	Middle	Right						
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Sweetwater	BITTER CREEK SOUTH RD CR 19S under I 80 / US 30	0.00	Both	V	Bitter Creek Road Interchange		15' 9"	15' 9"	15' 9"	15' 9"	
Sweetwater	WY 377	0.00	Both		Point Of Rocks Interchange (I-80)		14' 6"	14' 6"	14' 6"	14' 6"	
Sweetwater	under I 80 / US 30	0.00	Both	•	Westvaco Interchange		16' 7"	16' 5"	16' 9"	16' 5"	
Sweetwater	WY 370 SVRD	0.00	Both		Baxter Road Interchange (I-80)		16' 2"	16' 2"	16' 2"	16' 2"	
Sweetwater	under I 80 / US 30	0.00	Both	✓	Rasmussen Road Interchange		17' 2"	17' 2"	17' 2"	17' 2"	
Sweetwater	BAR X RD CR 21 under I 80 / US 30	0.00	Both	✓	Bar X Interchange		14' 3"	14' 3"	14' 3"	14' 3"	
Sweetwater	under I 80 / US 30 / WY 789	0.00	Both	•	Riner Interchange		14' 0"	14' 0"	14' 0"	14' 0"	
Sweetwater	under I 80 / US 30	0.01	Both	✓	Wild Horse Canyon Rd Separation		15' 1"	15' 1"	15' 1"	15' 1"	
Sweetwater	ELK ST US 191	0.03	Both		Sign Structure (off-ramp)		17' 5"	17' 5"	17' 5"	17' 5"	
Sweetwater	TIPTON NORTH RD CR 67 under I 80 / US 30	0.03	Both	✓	Tipton Interchange		14' 2"	14' 2"	14' 2"	14' 2"	
Sweetwater	under I 80 / US 30	0.05	Both	•	Wamsutter Interchange		17' 6"	17' 6"	17' 6"	17' 6"	
Sweetwater	under I 80 / US 30	0.05	Both	✓	Table Rock Interchange		16' 3"	16' 3"	16' 3"	16' 3"	
Sweetwater	BLUE RIM RD CR 5 under I 80 / US 30	0.06	Both	✓	Blue Rim Road Separation		14' 6"	14' 6"	14' 6"	14' 6"	
Sweetwater	ELK ST US 191	1.32	Both		Elk Street Interchange (I-80)		17' 9"	17' 9"	17' 9"	17' 9"	
Sweetwater	ELK ST US 191	1.48	Both		Sign Structure		19' 9"	20' 4"	19' 9"	19' 9"	

Wyoming Department of Transportation

For Reference Only

INVENTORY OF LIMITED VERTICAL CLEARANCE							Left	Middle	Right		
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Sweetwater	BLACK BUTTES RD CR 84 under I 80 / US 30	3.96	Both	✓	Black Butte Interchange		14' 10"	14' 10"	14' 10"	14' 10"	
Sweetwater	US 191	4.54	Both		Railroad Crossing Cantilevers		21' 4"	21' 4"	21' 4"	21' 4"	
Sweetwater		61.59	Both		Cedar Mtn Interchange (I-80)		14' 5"	14' 5"	14' 5"	14' 5"	
Sweetwater	I 80 / US 30	66.17	Eastbound		Granger Jct Interchange (US-30)		17' 2"	17' 5"	18' 0"	17' 2"	
Sweetwater	I 80 / US 30	66.17	Westbound		Granger Jct Interchange (US-30)		17' 9"	17' 1"	16' 8"	16' 8"	✓
Sweetwater	I 80 / US 30	66.55	Westbound		Sign Structure		21' 1"	20' 11"	20' 8"	20' 8"	
Sweetwater	I 80 / US 30	69.00	Westbound		Variable Message Sign Structure		21' 4"	21' 7"	21' 1"	21' 1"	
Sweetwater	WY 374	69.49	Both		Little America Interchange (I-80)		17' 3"	17' 2"	17' 3"	17' 2"	✓
Sweetwater	I 80 / US 30	76.63	Eastbound		UPRR Separation		19' 8"	19' 9"	20' 2"	19' 8"	
Sweetwater	I 80 / US 30	76.63	Westbound		UPRR Separation		19' 6"	19' 7"	19' 10"	19' 6"	
Sweetwater	WY 374	77.11	Both		UPRR Separation		22' 5"	22' 3"	22' 7"	22' 3"	
Sweetwater	I 80 / US 30	83.01	Westbound		Labarge Interchange (WY-372/374)		18' 1"	17' 6"	16' 10"	16' 10"	✓
Sweetwater	I 80 / US 30	83.01	Eastbound		Labarge Interchange (WY-372/374)		19' 6"	19' 10"	20' 2"	19' 6"	✓
Sweetwater	I 80 / US 30	89.00	Eastbound		Variable Message Sign Structure		20' 0"	20' 3"	20' 6"	20' 0"	
Sweetwater	I 80 / US 30	89.28	Eastbound		Sign Structure		19' 6"	19' 10"	20' 1"	19' 6"	
Sweetwater	Ramp on I 80 / US 189 MP 0	89.40	Westbound		Sign Structure (off-ramp)	✓	N/A	N/A	20' 9"	20' 9"	✓
Sweetwater	W FLAMING GORGE WAY I 80 BUS / US 30 BUS	89.45	Southbound	d 🗆	West Green River Interchange (I-80)		16' 4"	16' 4"	16' 4"	16' 4"	
Sweetwater	W FLAMING GORGE WAY I 80 BUS / US 30 BUS	89.45	Northbound	i 🗆	West Green River Interchange (I-80)		17' 0"	17' 0"	17' 0"	17' 0"	

Wyoming Department of Transportation

For Reference Only

			Left	Middle	Right						
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Sweetwater	I 80 / US 30	90.21	Eastbound		Tunnel		17' 5"	19' 9"	18' 1"	17' 5"	
Sweetwater	I 80 / US 30	90.21	Westbound		Tunnel		16' 7"	19' 6"	17' 3"	16' 7"	
Sweetwater	W FLAMING GORGE WAY I 80 BUS / US 30 BUS	91.10	Both		UPRR Separation		17' 1"	17' 1"	17' 1"	17' 1"	
Sweetwater	W FLAMING GORGE WAY I 80 BUS / US 30 BUS	91.22	Both		Sign Structure		19' 3"	19' 3"	19' 3"	19' 3"	✓
Sweetwater	I 80 / US 30	91.95	Westbound		Sign Structure		19' 1"	19' 4"	19' 5"	19' 1"	
Sweetwater	W FLAMING GORGE WAY I 80 BUS / US 30 BUS	91.96	Westbound		East Green River Interchange (I-80)		16' 7"	16' 7"	16' 7"	16' 7"	
Sweetwater	W FLAMING GORGE WAY I 80 BUS / US 30 BUS	91.96	Eastbound		East Green River Interchange (I-80)		16' 6"	16' 6"	16' 6"	16' 6"	
Sweetwater	I 80 / US 30	92.76	Westbound		Variable Message Sign Structure		20' 5"	20' 0"	19' 7"	19' 7"	
Sweetwater	I 80 / US 30	97.00	Eastbound		Variable Message Sign Structure		20' 0"	20' 3"	20' 5"	20' 0"	
Sweetwater	I 80 / US 30	99.14	Eastbound		Flaming Gorge Interchange		19' 11"	19' 6"	19' 1"	19' 1"	✓
Sweetwater	I 80 / US 30	99.14	Westbound		Flaming Gorge Interchange		20' 4"	20' 6"	20' 5"	20' 4"	✓
Sweetwater	under S SIDE BELT RT WY 376	100.71	Both		Hampshire Street Separation		16' 10"	17' 0"	16' 10"	16' 10"	
Sweetwater	I 80 / US 30	101.16	Eastbound		Stock Drive Separation		16' 10"	16' 11"	17' 0"	16' 10"	
Sweetwater	I 80 / US 30	101.16	Westbound		Stock Drive Separation		16' 11"	17' 0"	17' 0"	16' 11"	
Sweetwater	SPRINGS DR under I 80 / US 30	101.49	Both	✓	County Road Separation		24' 8"	24' 8"	24' 8"	24' 8"	

Wyoming Department of Transportation

For Reference Only

INVENTORY OF LIMITED VERTICAL CLEARANCES							Left	Middle	Right		
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Sweetwater	SWANSON DR under I 80 / US 30	101.62	Both	✓	Mine Road Separation		16' 5"	16' 5"	16' 5"	16' 5"	
Sweetwater	I 80 / US 30	102.10	Eastbound		Sign Structure		20' 10"	20' 9"	21' 5"	20' 9"	
Sweetwater		102.24	Both		Sign Structure		20' 0"	20' 0"	20' 0"	20' 0"	
Sweetwater	DEWAR DR I 80 BUS / US 30 BUS	102.36	Both		West Rock Springs Interchange (I-80)		18' 2"	18' 0"	18' 2"	18' 0"	✓
Sweetwater	DEWAR DR I 80 BUS / US 30 BUS	102.49	Both		Sign Structure		20' 6"	20' 6"	20' 6"	20' 6"	
Sweetwater	DEWAR DR I 80 BUS / US 30 BUS	102.75	Both		Sign Structure		20' 0"	20' 0"	20' 0"	20' 0"	
Sweetwater	DEWAR DR I 80 BUS / US 30 BUS	102.77	Both		Sign Structure		20' 5"	20' 5"	20' 5"	20' 5"	
Sweetwater	I 80 / US 30	103.82	Westbound		College Drive Interchange		20' 1"	20' 2"	20' 5"	20' 1"	✓
Sweetwater	I 80 / US 30	103.82	Eastbound		College Drive Interchange		20' 2"	20' 6"	20' 10"	20' 2"	✓
Sweetwater	CENTER ST I 80 BUS / US 30 BUS	104.80	Westbound		Railroad Crossing Cantilevers		18' 0"	17' 11"	17' 9"	17' 9"	
Sweetwater	CENTER ST I 80 BUS / US 30 BUS	104.80	Eastbound		Railroad Crossing Cantilevers		18' 10"	18' 10"	18' 10"	18' 10"	
Sweetwater	BRIDGER AVE I 80 BUS / US 30 BUS	104.87	Both		Sign Structure		17' 7"	19' 3"	17' 7"	17' 7"	✓
Sweetwater	I 80 / US 30	104.88	Eastbound		Sign Structure		20' 2"	20' 2"	20' 9"	20' 2"	
Sweetwater	I 80 / US 30	105.13	Westbound		Sign Structure		22' 10"	23' 11"	20' 3"	20' 3"	

Wyoming Department of Transportation

For Reference Only

INVENTORY OF LIMITED VERTICAL CLEARANCE							Left	Middle	Right		
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane	Lane	Lane	Min	Bypass
Sweetwater	9TH ST I 80 BUS / US 30 BUS	106.48	Both		East Rock Springs Interchange (I-80)		17' 0"	17' 0"	17' 0"	17' 0"	✓
Sweetwater	I 80 / US 30	107.62	Westbound		Sign Structure		21' 0"	20' 11"	21' 4"	20' 11"	
Sweetwater	I 80 / US 30	110.26	Westbound		Variable Message Sign Structure		20' 0"	20' 2"	20' 5"	20' 0"	
Sweetwater	I 80 / US 30	110.26	Eastbound		Variable Message Sign Structure		19' 10"	20' 0"	20' 4"	19' 10"	
Sweetwater	I 80 / US 30	132.59	Westbound		Jim Bridger RR Spur Separation		16' 8"	16' 9"	16' 11"	16' 8"	
Sweetwater	I 80 / US 30	132.59	Eastbound		Jim Bridger RR Spur Separation		16' 10"	16' 10"	17' 2"	16' 10"	
Teton	WY 22	15.85	Eastbound		Sign Structure		20' 0"	20' 0"	20' 0"	20' 0"	
Teton	WY 22	17.16	Eastbound		Sign Structure		20' 7"	20' 7"	20' 7"	20' 7"	
Teton	W BROADWAY AVE US 26 / US 89 / US 189 / US 191	152.98	Both		Sign Structure		17' 9"	18' 2"	17' 9"	17' 9"	
Teton	W BROADWAY AVE US 26 / US 89 / US 189 / US 191	153.07	Both		Sign Structure		19' 9"	18' 11"	19' 9"	18' 11"	
Teton	W BROADWAY AVE US 26 / US 89 / US 189 / US 191	153.10	Both		Sign Structure		18' 2"	18' 2"	18' 2"	18' 2"	
Teton	W BROADWAY AVE US 26 / US 89 / US 189 / US 191	154.07	Both		Traffic Light Structure		19' 0"	19' 0"	19' 0"	19' 0"	
Uinta	under I 80 / US 189	0.00	Both	✓	Divide Interchange		14' 2"	14' 2"	14' 2"	14' 2"	
Uinta	US 189	0.00	Both		US-189 Interchange (I-80)		16' 7"	17' 1"	16' 11"	16' 7"	
Uinta	under I 80	0.00	Both	\checkmark	Coal Interchange		13' 9"	13' 9"	13' 9"	13' 9"	

Wyoming Department of Transportation

For Reference Only

			INVENT	TORY OF L	IMITED VERTICAL CLEARANCES		Left	Middle Lane	Right		
County	Road	Marker	Lane	Underneath	Description	Ramp	Lane		Lane	Min	Bypass
Uinta	under I 80 / US 189	0.00	Both	✓	Painter Interchange		14' 2"	14' 2"	14' 2"	14' 2"	
Uinta	under I 80	0.00	Both	✓	Bigelow Interchange		16' 1"	16' 1"	16' 1"	16' 1"	
Uinta	under I 80	0.00	Both	✓	Bar Hat Interchange		13' 10"	13' 10"	13' 10"	13' 10"	
Uinta	under I 80	0.00	Both	✓	Church Buttes Interchange		14' 5"	14' 5"	14' 5"	14' 5"	
Uinta	WY 89	0.01	Southbound	d 🗆	Sign Structure		21' 3"	25' 5"	26' 1"	21' 3"	
Uinta	WY 89	0.01	Northbound		Sign Structure		19' 10"	19' 8"	19' 8"	19' 8"	
Uinta	UNION RD CR 705 under I 80	0.04	Both	✓	Union Interchange		13' 7"	13' 7"	13' 7"	13' 7"	
Uinta	FRONT ST WY 150	0.23	Both		Sign Structure		20' 3"	20' 7"	20' 7"	20' 3"	
Uinta	FRENCH RD CR 207 under I 80	0.47	Both	✓	French Interchange		13' 8"	13' 8"	13' 8"	13' 8"	
Uinta	FRONT ST WY 150	0.65	Both		State Hospital Road Interchange (I-80)		17' 2"	18' 6"	17' 2"	17' 2"	
Uinta	WY 413	2.72	Both		North Lyman Interchange (I-80)		16' 4"	16' 4"	16' 9"	16' 4"	
Uinta	WY 412	2.81	Both		Carter-Mtn View Interchange (I-80)		17' 0"	16' 6"	16' 7"	16' 6"	
Uinta	I 80 / US 189	2.98	Eastbound		Sign Structure		19' 10"	20' 0"	20' 3"	19' 10"	
Uinta	HARRISON DR I 80 BUS / US 189 BUS	3.45	Both		West Evanston Interchange (I-80)		16' 5"	17' 2"	16' 5"	16' 5"	
Uinta	I 80 / US 189	6.40	Westbound		Sign Structure		22' 10"	22' 10"	22' 4"	22' 4"	
Uinta	BEAR RIVER DR I 80 BUS / US 189 BUS	6.43	Both		East Evanston Interchange (I-80)		17' 0"	16' 9"	17' 0"	16' 9"	
Uinta	I 80 / US 189	7.21	Eastbound		Variable Message Sign Structure		20' 0"	20' 2"	20' 4"	20' 0"	
Uinta	I 80 / US 189	7.47	Westbound		Variable Message Sign Structure		21' 0"	21' 0"	20' 11"	20' 11"	

Wyoming Department of Transportation

For Reference Only

			1117 211		EMITED VERTICAL CELARATIVEES		Left	Middle	Right		
County	Road	Marker	Lane	Underneath	n Description	Ramp	Lane	Lane	Lane	Min	Bypass
Uinta	under I 80	23.19	Both	✓	Leroy Interchange		14' 2"	14' 2"	14' 2"	14' 2"	
Uinta	I 80 BUS	34.74	Southboun	d \square	Fort Bridger Interchange (I-80)		16' 9"	16' 9"	16' 9"	16' 9"	
Uinta	I 80 BUS	34.74	Northbound	d \square	Fort Bridger Interchange (I-80)		16' 10"	16' 10"	16' 10"	16' 10"	
Uinta	I 80	36.00	Westbound	ı 🗆	Variable Message Sign Structure		21' 0"	21' 3"	21' 6"	21' 0"	
Uinta	I 80 BUS	50.36	Both		Bridger Valley Interchange (I-80)		16' 4"	16' 3"	16' 4"	16' 3"	
Uinta	WY 414	93.88	Both		Carter-Mtn View Interchange (I-80)		17' 0"	16' 6"	16' 7"	16' 6"	
Uinta	under I 80 / US 189	100.00	Both	✓	Yellow Creek Road Separation		16' 8"	16' 8"	16' 8"	16' 8"	
Washakie	BIG HORN AVE US 16	0.00	Westbound	i 🗆	Sign Structure		25' 2"	25' 2"	25' 2"	25' 2"	
Washakie		0.00	Eastbound		Sign Structure		18' 9"	18' 9"	18' 9"	18' 9"	
Washakie	6TH ST / BIG HORN AVE US 20 BUS / WY 789	165.36	Northbound	d 🗆	Railroad Crossing Cantilevers		17' 9"	17' 9"	17' 7"	17' 7"	
Washakie	6TH ST / BIG HORN AVE US 20 BUS / WY 789	165.36	Southboun	d 🗆	Railroad Crossing Cantilevers		17' 10"	17' 10"	17' 10"	17' 10"	
Weston	W MAIN ST US 16	1.09	Eastbound		Railroad Crossing Cantilevers		16' 11"	16' 11"	16' 11"	16' 11"	✓
Weston	W MAIN ST US 16	1.09	Westbound	i 🗆	Railroad Crossing Cantilevers		17' 2"	17' 2"	17' 2"	17' 2"	✓
Weston	US 85	229.30	Southboun	d \square	Overhead Stop		18' 1"	18' 1"	18' 1"	18' 1"	✓
Weston	US 85	229.30	Northbound	d \square	Overhead Stop		18' 3"	18' 3"	18' 3"	18' 3"	✓
Weston	WASHINGTON BLVD US 16	249.82	Westbound	i 🗆	Overhead Stop		17' 10"	17' 10"	17' 10"	17' 10"	
Weston	WASHINGTON BLVD US 16	249.82	Eastbound		Overhead Stop		20' 4"	20' 4"	20' 4"	20' 4"	